

Page 1 of 4

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

Key to abbreviations

ATV	Atazanavir (Reyataz [®])	IDV	Indinavir (Crixivan [®])
Cobi	Cobicistat (Tybost [®])	LPV	Lopinavir (Kaletra [®])
DRV	Darunavir (Prezista [®])	RTV	Ritonavir (Norvir [®])
FPV	Fosamprenavir (Telzir [®] , Lexiva [®])	SQV	Saquinavir (Invirase [®])
		TPV	Tipranavir (Aptivus [®])

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
✦	There are no clear data, actual or theoretical, to indicate

[illegible]

© Liverpool Drug Interaction Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly excludes

Interactions with Protease Inhibitors

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 2 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ATV	Cobi	DRV	FPV	IDV	LPV	RTV	SQV	TPV
Anti-diabetics									
Acarbose	◆	◆	◆	◆	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Exanatide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	■	■	■	■	■	■	■	■	■
Glizalide	■	◆	■	■	■	■	■	■	■
Glimepiride	■	◆	■	■	■	■	■	■	■
Glipizide	■	◆	■	■	■	■	■	■	■
Insulin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metformin	◆	■	◆	◆	◆	◆	◆	◆	◆
Nateglinide	■	■	■	■	■	■	■	■	■
Pioglitazone	▲	▲	▲	▲	▲	▲	▲	▲	■
Repaglinide	■	■	■	■	■	■	■	■	■
Rosiglitazone	◆	◆	▲	▲	▲	▲	▲	▲	■
Saxagliptin	■	■	■	■	■	■	■	■	■
Sitagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tolbutamide	■	◆	■	■	■	■	■	■	■
Vildagliptin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antifungals									
Amphotericin B	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluconazole	◆	▲	◆	◆	◆	◆	◆	◆	▲
Flucytosine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Griseofulvin	■	■	■	■	■	■	■	■	■
Itraconazole	■	■	■	■	■	■	■	■	■
Ketoconazole	■	■	■	■	■	■	■	■	■
Miconazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Posaconazole	■	■	■	■	■	■	■	■	■
Terbinafine	▲	▲	▲	▲	▲	▲	▲	▲	▲
Voriconazole	■	■	■	■	■	■	■	■	■
Antihistamines									
Astemizole	●	●	●	●	●	●	●	●	●
Cetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorphenamine	▲	▲	▲	▲	▲	▲	▲	▲	■
Diphenhydramine	▲	▲	▲	▲	▲	▲	▲	▲	■
Fexofenadine	▲	▲	▲	▲	▲	▲	▲	▲	▲
Levocetirizine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loratadine	▲	▲	▲	▲	▲	▲	▲	▲	▲
Promethazine	▲	▲	▲	▲	▲	▲	▲	▲	■
Terfenadine	●	●	●	●	●	●	●	●	●
Antimigraine Agents									
Almotriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dihydroergotamine	●	●	●	●	●	●	●	●	●
Ergotamine	●	●	●	●	●	●	●	●	●
Rizatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antiprotozoals									
Amodiaquine	▲	◆	▲	▲	▲	▲	▲	▲	■
Artemisinin	■	■	■	■	■	■	■	■	■
Atovaquone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benznidazole	★	★	★	★	★	★	★	★	★
Chloroquine	■	◆	◆	◆	◆	■	◆	◆	◆
Diloxanide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eflornithine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Halofantrine	●	●	●	●	●	●	●	●	●
Lumefantrine	■	■	■	■	■	■	■	■	■
Mefloquine	■	■	■	■	■	■	■	■	■
Meglumine antimoniate	■	◆	◆	◆	◆	■	◆	◆	◆
Melarsoprol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pentamidine	■	◆	◆	◆	◆	■	◆	◆	◆
Primaquine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Proguanil	■	◆	■	■	■	■	■	■	■
Pyrimethamine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Quinine	■	◆	■	■	■	■	■	■	■
Sodium stibogluconate	■	◆	◆	◆	◆	■	◆	◆	■
Sulfadoxine	◆	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

	ATV	Cobi	DRV	FPV	IDV	LPV	RTV	SQV	TPV
Antipsychotics/Neuroleptics									
Amisulpride	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aripiprazole	■	■	■	■	■	■	■	■	■
Asenapine	■	▲	▲	▲	▲	▲	▲	▲	▲
Chlorpromazine	■	▲	▲	▲	▲	▲	▲	▲	▲
Clozapine	■	▲	▲	▲	▲	▲	▲	▲	▲
Fluphenazine	■	▲	▲	▲	▲	▲	▲	▲	▲
Haloperidol	■	▲	▲	▲	▲	▲	▲	▲	▲
Iloperidone	■	▲	▲	▲	▲	▲	▲	▲	▲
Levomopromazine	■	▲	▲	▲	▲	▲	▲	▲	▲
Olanzapine	■	◆	▲	▲	▲	▲	▲	▲	▲
Paliperidone	▲	▲	▲	▲	▲	▲	▲	▲	▲
Perazine	■	▲	▲	▲	▲	▲	▲	▲	▲
Periciazine	■	▲	▲	▲	▲	▲	▲	▲	▲
Perphenazine	■	▲	▲	▲	▲	▲	▲	▲	▲
Pimozide	●	●	●	●	●	●	●	●	●
Pipotiazine	■	▲	▲	▲	▲	▲	▲	▲	▲
Quetiapine	●	●	●	●	●	●	●	●	●
Risperidone	■	▲	▲	▲	▲	▲	▲	▲	▲
Sulpiride	■	◆	◆	◆	◆	◆	◆	◆	◆
Thioridazine	■	▲	▲	▲	▲	▲	▲	▲	▲
Tiapride	■	▲	▲	▲	▲	▲	▲	▲	▲
Ziprasidone	●	■	■	■	■	■	■	■	■
Zotepine	■	■	■	■	■	■	■	■	■
Zuclopenthixol	■	■	■	■	■	■	■	■	■
Antivirals									
Aciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Adefovir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Boceprevir	■	■	■	■	■	■	■	■	■
Cidofovir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Daclatasvir	■	■	■	■	■	■	■	■	■
Elbasvir/Grazoprevir	●	●	●	●	●	●	●	●	●
Entecavir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	●	●	●	●	●	●	●	●	●
Ledipasvir/Sofosbuvir	■	■	■	■	■	■	■	■	■
Ombitasvir/Paritaprevir/r	■	■	■	■	■	■	■	■	■
Ombitasvir/Paritaprevir/r + Dasabuvir	■	■	■	■	■	■	■	■	■
Oseltamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ribavirin	■	■	■	■	■	■	■	■	■
Rimantadine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Simeprevir	●	●	●	●	●	●	●	●	●
Sofosbuvir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	■	■	■	■	■	■	■	■	■
Sofosbuvir/Velpatasvir/Voxilaprevir	●	●	●	●	●	●	●	●	●
Telaprevir	■	■	■	■	■	■	■	■	■
Telbivudine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆	◆	◆	◆	◆
Anxiolytics/Hypnotics/Sedatives									
Alprazolam	■	■	■	■	■	■	■	■	■
Bromazepam	▲	▲	▲	▲	▲	▲	▲	▲	▲
Buspirone	■	■	■	■	■	■	■	■	■
Chlordiazepoxide	■	■	■	■	■	■	■	■	■
Clorazepate	■	■	■	■	■	■	■	■	■
Diazepam	■	■	■	■	■	■	■	■	■
Estazolam	■	■	■	■	■	■	■	■	■
Flunitrazepam	■	■	■	■	■	■	■	■	■
Flurazepam	■	■	■	■	■	■	■	■	■
Hydroxyzine	■	■	■	■	■	■	■	■	■
Lorazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆
Midazolam (oral)	●	●	●	●	●	●	●	●	●
Midazolam (parenteral)	■	■	■	■	■	■	■	■	■
Oxazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triazolam	●	●	●	●	●	●	●	●	●
Zaleplon	▲	▲	▲	▲	▲	▲	▲	▲	▲
Zolpidem	■	■	■	■	■	■	■	■	■
Zopiclone	■	■	■	■	■	■	■	■	■
Beta Blockers									
Atenolol	▲	◆	◆	◆	◆	▲	▲	▲	▲
Bisoprolol	▲	▲	▲	▲	▲	▲	▲	▲	▲
Carvedilol	▲	▲	▲	▲	▲	▲	▲	▲	▲
Metoprolol	▲	▲	▲	▲	▲	▲	▲	▲	▲
Nebivolol	▲	◆	■	■	■	■	■	■	■
Oxprenolol	■	■	■	■	■	■	■	■	■
Pindolol	▲	▲	▲	▲	▲	▲	▲	▲	▲
Propranolol	▲	▲	▲	▲	▲	▲	▲	▲	▲
Timolol	▲	▲	▲	▲	▲	▲	▲	▲	▲

Key to abbreviations

ATV	Atazanavir (Reyataz®)	IDV	Indinavir (Crixivan®)
Cobi	Cobicistat (Tybost®)	LPV	Lopinavir (Kaletra®)
DRV	Darunavir (Prezista®)	RTV	Ritonavir (Norvir®)
FPV	Fosamprenavir (Telzir®, Lexiva®)	SQV	Saquinavir (Invirase®)
		TPV	Tipranavir (Aptivus®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require dose monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
★	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool
 Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
 We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Protease Inhibitors

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 3 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ATV	Cobi	DRV	FPV	IDV	LPV	RTV	SQV	TPV
Bronchodilators									
Acidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆	◆	◆	◆	◆
Formoterol	▲	◆	◆	◆	◆	▲	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Montelukast	▲	▲	▲	▲	▲	▲	▲	▲	▲
Olodaterol	▲	▲	▲	▲	▲	▲	▲	▲	▲
Roflumilast	◆	◆	◆	◆	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	▲	▲	▲	▲	▲	▲	▲	▲	▲
Vilanterol	▲	▲	▲	▲	▲	▲	▲	▲	▲
Calcium Channel Blockers									
Amlodipine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Diltiazem	◆	◆	◆	◆	◆	◆	◆	◆	◆
Felodipine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicardipine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nifedipine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nisoldipine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nitrendipine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Verapamil	◆	◆	◆	◆	◆	◆	◆	◆	◆
Contraceptives/HRT									
Desogestrel (COC)	▲	◆	◆	◆	◆	◆	◆	◆	◆
Desogestrel (POP)	▲	▲	▲	▲	▲	▲	▲	▲	▲
Drospirenone (COC)	▲	◆	◆	◆	◆	◆	◆	◆	◆
Drospirenone (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dydrogesterone (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Estradiol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ethinylestradiol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etonogestrel (implant)	▲	▲	▲	▲	▲	▲	▲	▲	▲
Etonogestrel (vaginal ring)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gestodene (COC)	▲	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (emergency contraception)	▲	▲	▲	▲	▲	▲	▲	▲	▲
Levonorgestrel (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (implant)	▲	▲	▲	▲	▲	▲	▲	▲	▲
Levonorgestrel (IUD)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (POP)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (depot injection)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (oral)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norelgestromin (patch)	▲	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (COC)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (POP)	▲	▲	▲	▲	▲	▲	▲	▲	▲
Norgestimate (COC)	▲	◆	◆	◆	◆	◆	◆	◆	◆
Norgestrel (COC)	▲	◆	◆	◆	◆	◆	◆	◆	◆
Norgestrel (HRT)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ulipristal	▲	▲	▲	▲	▲	▲	▲	▲	▲
Cytotoxics									
Anastrozole	▲	◆	◆	◆	◆	◆	◆	◆	◆
Asparaginase	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bexarotene	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bleomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bortezomib	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caprecitabine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carboplatin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cisplatin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyclophosphamide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cytarabine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dacarbazine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dactinomycin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dasatinib	◆	◆	◆	◆	◆	◆	◆	◆	◆
Daunorubicin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Docetaxel	◆	◆	◆	◆	◆	◆	◆	◆	◆
Doxorubicin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Droloxifene	◆	◆	◆	◆	◆	◆	◆	◆	◆
Epirubicin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erlotinib	◆	◆	◆	◆	◆	◆	◆	◆	◆
Estramustine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Everolimus	◆	◆	◆	◆	◆	◆	◆	◆	◆
Exemestane	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fludarabine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluorouracil	◆	◆	◆	◆	◆	◆	◆	◆	◆
Formestane	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gemcitabine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ifosfamide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Imatinib	◆	◆	◆	◆	◆	◆	◆	◆	◆
Irinotecan	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lapatinib	◆	◆	◆	◆	◆	◆	◆	◆	◆
Letrozole	◆	◆	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

ATV	Atazanavir (Reyataz®)	IDV	Indinavir (Crixivan®)
Cobi	Cobicistat (Tybost®)	LPV	Lopinavir (Kaletra®)
DRV	Darunavir (Prezista®)	RTV	Ritonavir (Norvir®)
FPV	Fosamprenavir (Telzir®, Lexiva®)	SQV	Saquinavir (Invirase®)
		TPV	Tipranavir (Aptivus®)

Key to symbols

◆	These drugs should not be coadministered
▲	Potential interaction – may require dose monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interaction Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

	ATV	Cobi	DRV	FPV	IDV	LPV	RTV	SQV	TPV
Cytotoxics (continued)									
Mercaptopurine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mesna	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methotrexate	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mitoxantrone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nilotinib	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxaliplatin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Paclitaxel	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pazopanib	◆	◆	◆	◆	◆	◆	◆	◆	◆
Procarbazine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rituximab	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sorafenib	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sunitinib	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tamoxifen	◆	◆	◆	◆	◆	◆	◆	◆	◆
Temsirolimus	◆	◆	◆	◆	◆	◆	◆	◆	◆
Topotecan	◆	◆	◆	◆	◆	◆	◆	◆	◆
Toremifene	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vinblastine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vincristine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vorinostat	◆	◆	◆	◆	◆	◆	◆	◆	◆
Erectile Dysfunctional Agents									
Sildenafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tadalafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vardenafil	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents									
Alosetron	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aluminium hydroxide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cisapride	◆	◆	◆	◆	◆	◆	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents (anti-emetics)									
Aprepitant	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dolasetron	◆	◆	◆	◆	◆	◆	◆	◆	◆
Domperidone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dronabinol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Granisetron	◆	◆	◆	◆	◆	◆	◆	◆	◆
Metoclopramide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ondansetron	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prochlorperazine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Herbals/Supplements/Vitamins									
African potato	◆	◆	◆	◆	◆	◆	◆	◆	◆
Aloe vera	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid (Vitamin C)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cat's claw (Uncaria tomentosa)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colecalciferol (vitamin D3)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyanocobalamin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Echinacea	◆	◆	◆	◆	◆	◆	◆	◆	◆
Eucalyptus globulus	◆	◆	◆	◆	◆	◆	◆	◆	◆
Folic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆
Garlic	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ginger (Zinigiber officinale)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ginkgo biloba	◆	◆	◆	◆	◆	◆	◆	◆	◆
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hops (Humulus lupulus)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Inula racemosa	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iodine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Iron supplements	◆	◆	◆	◆	◆	◆	◆	◆	◆
Liquorice (Glycyrrhiza glabra)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Malabar nut tree	◆	◆	◆	◆	◆	◆	◆	◆	◆
Menthol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Milk thistle	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicotinamide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Phytomenadione (vitamin K)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyridoxine (vitamin B6)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Quercetin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Retinol (vitamin A)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Riboflavin (vitamin B2)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	◆	◆	◆	◆	◆	◆
St John's Wort	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thiamine (vitamin B1)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Turmeric (Curcuma longa)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Valerian	◆	◆	◆	◆	◆	◆	◆	◆	◆
Vitamin E	◆	◆	◆	◆	◆	◆	◆	◆	◆

Interactions with Protease Inhibitors

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 4 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ATV	Cobi	DRV	FPV	IDV	LPV	RTV	SQV	TPV
Hypertension / Heart Failure Agents									
Aliskiren	●	●	●	●	●	●	●	●	●
Ambrisentan	●	●	●	●	●	●	●	●	●
Amiloride	●	●	●	●	●	●	●	●	●
Bendroflumethiazide	●	●	●	●	●	●	●	●	●
Bosentan	●	●	●	●	●	●	●	●	●
Candesartan	●	●	●	●	●	●	●	●	●
Captopril	●	●	●	●	●	●	●	●	●
Chlorthalidone	●	●	●	●	●	●	●	●	●
Cilazapril	●	●	●	●	●	●	●	●	●
Clonidine	●	●	●	●	●	●	●	●	●
Digoxin	●	●	●	●	●	●	●	●	●
Dopamine	●	●	●	●	●	●	●	●	●
Doxazosin	●	●	●	●	●	●	●	●	●
Enalapril	●	●	●	●	●	●	●	●	●
Epoprostenol	●	●	●	●	●	●	●	●	●
Eprosartan	●	●	●	●	●	●	●	●	●
Furosemide	●	●	●	●	●	●	●	●	●
Hydralazine	●	●	●	●	●	●	●	●	●
Hydrochlorothiazide	●	●	●	●	●	●	●	●	●
Iloprost	●	●	●	●	●	●	●	●	●
Indapamide	●	●	●	●	●	●	●	●	●
Irbesartan	●	●	●	●	●	●	●	●	●
Isoorbide dinitrate	●	●	●	●	●	●	●	●	●
Ivabradine	●	●	●	●	●	●	●	●	●
Labetalol	●	●	●	●	●	●	●	●	●
Lacidipine	●	●	●	●	●	●	●	●	●
Lercanidipine	●	●	●	●	●	●	●	●	●
Lisinopril	●	●	●	●	●	●	●	●	●
Losartan	●	●	●	●	●	●	●	●	●
Macitentan	●	●	●	●	●	●	●	●	●
Methyldopa	●	●	●	●	●	●	●	●	●
Metolazone	●	●	●	●	●	●	●	●	●
Olmesartan	●	●	●	●	●	●	●	●	●
Perindopril	●	●	●	●	●	●	●	●	●
Prazosin	●	●	●	●	●	●	●	●	●
Quinapril	●	●	●	●	●	●	●	●	●
Ramipril	●	●	●	●	●	●	●	●	●
Ranolazine	●	●	●	●	●	●	●	●	●
Riociguat	●	●	●	●	●	●	●	●	●
Sacubitril	●	●	●	●	●	●	●	●	●
Selexipag	●	●	●	●	●	●	●	●	●
Sildenafil (PAH)	●	●	●	●	●	●	●	●	●
Sodium nitroprusside	●	●	●	●	●	●	●	●	●
Spironolactone	●	●	●	●	●	●	●	●	●
Tadalafil (PAH)	●	●	●	●	●	●	●	●	●
Telmisartan	●	●	●	●	●	●	●	●	●
Terazosin	●	●	●	●	●	●	●	●	●
Torsemide	●	●	●	●	●	●	●	●	●
Trandolapril	●	●	●	●	●	●	●	●	●
Treprostinil	●	●	●	●	●	●	●	●	●
Valsartan	●	●	●	●	●	●	●	●	●
Xipamide	●	●	●	●	●	●	●	●	●
Illicit/Recreational									
Alcohol	●	●	●	●	●	●	●	●	●
Amphetamine	●	●	●	●	●	●	●	●	●
Cannabis	●	●	●	●	●	●	●	●	●
Cocaine	●	●	●	●	●	●	●	●	●
Ecstasy (MDMA)	●	●	●	●	●	●	●	●	●
GHB (Gamma-hydroxybutyrate)	●	●	●	●	●	●	●	●	●
Heroin	●	●	●	●	●	●	●	●	●
LSD (Lysergic acid diethylamide)	●	●	●	●	●	●	●	●	●
Mephedrone	●	●	●	●	●	●	●	●	●
Methamphetamine	●	●	●	●	●	●	●	●	●
Phencyclidine (PCP)	●	●	●	●	●	●	●	●	●
Poppers (Amyl nitrate)	●	●	●	●	●	●	●	●	●
Immune Modulators									
Hydroxyurea (Hydroxycarbamide)	●	●	●	●	●	●	●	●	●
Interferon alpha	●	●	●	●	●	●	●	●	●
Interleukin 2 (Aldesleukin)	●	●	●	●	●	●	●	●	●
Peginterferon alfa-2a	●	●	●	●	●	●	●	●	●
Immunosuppressants									
Anti-thymocyte globulin	●	●	●	●	●	●	●	●	●
Azathioprine	●	●	●	●	●	●	●	●	●
Basiliximab	●	●	●	●	●	●	●	●	●
Belatacept	●	●	●	●	●	●	●	●	●
Ciclosporin	●	●	●	●	●	●	●	●	●
Mycophenolate	●	●	●	●	●	●	●	●	●
Sirolimus	●	●	●	●	●	●	●	●	●
Tacrolimus	●	●	●	●	●	●	●	●	●
Lipid Lowering Agents									
Atorvastatin	●	●	●	●	●	●	●	●	●
Bezafibrate	●	●	●	●	●	●	●	●	●
Clofibrate	●	●	●	●	●	●	●	●	●
Ezetimibe	●	●	●	●	●	●	●	●	●
Fenofibrate	●	●	●	●	●	●	●	●	●
Fish oils	●	●	●	●	●	●	●	●	●
Fluvastatin	●	●	●	●	●	●	●	●	●
Gemfibrozil	●	●	●	●	●	●	●	●	●
Lovastatin	●	●	●	●	●	●	●	●	●
Pitavastatin	●	●	●	●	●	●	●	●	●
Pravastatin	●	●	●	●	●	●	●	●	●
Rosuvastatin	●	●	●	●	●	●	●	●	●
Simvastatin	●	●	●	●	●	●	●	●	●

Key to abbreviations

ATV	Atazanavir (Reyataz®)	IDV	Indinavir (Crixivan®)
Cobi	Cobicistat (Tybost®)	LPV	Lopinavir (Kaletra®)
DRV	Darunavir (Prezista®)	RTV	Ritonavir (Norvir®)
FPV	Fosamprenavir (Telzir®, Lexiva®)	SQV	Saquinavir (Invirase®)
		TPV	Tipranavir (Aptivus®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require dose monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

	ATV	Cobi	DRV	FPV	IDV	LPV	RTV	SQV	TPV
Other									
Acetazolamide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Acitretin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alendronic Acid	◆	◆	◆	◆	◆	◆	◆	◆	◆
Alfuzosin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Allopurinol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Atropine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆	◆	◆	◆	◆	◆
Caffeine citrate	◆	◆	◆	◆	◆	◆	◆	◆	◆
Calcium	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carbamazole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clomifene	◆	◆	◆	◆	◆	◆	◆	◆	◆
Colchicine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Cyproterone acetate	◆	◆	◆	◆	◆	◆	◆	◆	◆
Denosumab	◆	◆	◆	◆	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dutasteride	◆	◆	◆	◆	◆	◆	◆	◆	◆
Finasteride	◆	◆	◆	◆	◆	◆	◆	◆	◆
Flibanserin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Goserelin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ibandronic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆
Isotretinoin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Leuprorelin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levothyroxine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Magnesium	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mannitol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methylphenidate	◆	◆	◆	◆	◆	◆	◆	◆	◆
Modafinil	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naftidrofuryl	◆	◆	◆	◆	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆	◆	◆	◆	◆
Orlistat	◆	◆	◆	◆	◆	◆	◆	◆	◆
Penicillamine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Potassium	◆	◆	◆	◆	◆	◆	◆	◆	◆
Probenecid	◆	◆	◆	◆	◆	◆	◆	◆	◆
Propylthiouracil	◆	◆	◆	◆	◆	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Strontium ranelate	◆	◆	◆	◆	◆	◆	◆	◆	◆
Sulfasalazine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tamsulosin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Thalidomide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆
Varenicline	◆	◆	◆	◆	◆	◆	◆	◆	◆
Zoledronic acid	◆	◆	◆	◆	◆	◆	◆	◆	◆
Overactive Bladder Agents									
Darifenacin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fesoterodine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mirabegron	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxybutynin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Solifenacin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Tolterodine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Trospium	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxytocics									
Ergometrine (Ergonovine)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mifepristone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Misoprostol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxytocin	◆	◆	◆	◆	◆	◆	◆	◆	◆
Parkinsonism Agents									
Apomorphine	◆	◆	◆	◆	◆	◆	◆	◆	◆
Benserazide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Rasagiline	◆	◆	◆	◆	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆	◆	◆	◆	◆
Steroids									
Beclometasone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Betamethasone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Budesonide	◆	◆	◆	◆	◆	◆	◆	◆	◆
Clobetasol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Dexamethasone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fludrocortisone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluocinolone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Fluticasone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydrocortisone (oral)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Mometasone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Nandrolone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prednisolone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Prednisone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Stanazolol	◆	◆	◆	◆	◆	◆	◆	◆	◆
Testosterone	◆	◆	◆	◆	◆	◆	◆	◆	◆
Triamcinolone	◆	◆	◆	◆	◆	◆	◆	◆	◆

Interactions with NNRTIs

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 1 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	EFV	ETV	NVP	RPV	RPV + F/TAF
Anaesthetics & Muscle Relaxants					
Alcuronium	◆	◆	◆	◆	▲
Bupivacaine	■	■	■	◆	◆
Cisatracurium	◆	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆
Dexmedetomidine	▲	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆
Ephedrine	◆	◆	◆	◆	◆
Halothane	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆
Ketamine	■	■	■	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆
Propofol	■	◆	■	▲	▲
Rocuronium	■	◆	◆	◆	◆
Sevoflurane	◆	◆	◆	▲	▲
Sufentanil	■	■	■	◆	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	▲	▲
Vecuronium	◆	◆	◆	◆	◆
Analgesics					
Alfentanil	■	■	■	◆	◆
Aspirin	◆	◆	◆	◆	◆
Buprenorphine	■	▲	◆	◆	◆
Celecoxib	■	■	◆	◆	◆
Codeine	▲	▲	▲	◆	◆
Dextropropoxyphene	■	■	■	◆	◆
Diamorphine (diacetylmorphine)	■	◆	◆	◆	◆
Diclofenac	■	■	◆	◆	◆
Dihydrocodeine	▲	▲	▲	◆	◆
Fentanyl	■	■	■	◆	◆
Hydrocodone	■	■	■	◆	◆
Hydromorphone	■	◆	◆	◆	◆
Ibuprofen	■	■	◆	◆	◆
Mefenamic acid	■	■	◆	◆	◆
Methadone	■	▲	▲	▲	▲
Morphine	■	▲	◆	◆	◆
Naproxen	■	■	◆	◆	◆
Nimesulide	■	■	◆	◆	◆
Oxycodone	■	■	■	◆	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆
Pethidine (Meperidine)	■	■	■	◆	◆
Piroxicam	■	■	◆	◆	◆
Tramadol	▲	◆	▲	◆	◆
Anthelmintics					
Albendazole	▲	▲	▲	◆	◆
Diethylcarbamazine	◆	◆	◆	◆	◆
Ivermectin	▲	▲	▲	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆
Mebendazole	▲	▲	◆	◆	◆
Niclosamide	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆
Praziquantel	■	■	■	◆	◆
Pyrantel	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆
Triclabendazole	▲	▲	▲	▲	▲
Antiarrhythmics					
Amiodarone	■	■	■	■	■
Bepiridil	●	■	■	■	■
Disopyramide	■	■	■	▲	▲
Flecainide	■	■	◆	▲	▲
Lidocaine (Lignocaine)	▲	■	◆	◆	◆
Mexiletine	◆	■	◆	◆	◆
Propafenone	■	■	■	◆	◆
Quinidine	■	■	■	■	■
Antibacterials					
Amikacin	◆	◆	◆	◆	▲
Amoxicillin	◆	◆	◆	◆	◆
Ampicillin	◆	◆	◆	◆	▲
Azithromycin	◆	◆	◆	▲	▲
Bedaquiline	■	■	◆	■	■
Capreomycin	◆	◆	◆	◆	▲
Cefalexin	◆	◆	◆	◆	◆
Cefazolin	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆
Chloramphenicol	■	■	■	▲	▲
Ciprofloxacin	◆	◆	◆	▲	▲
Clarithromycin	■	■	■	■	■
Clavulanic acid	◆	◆	◆	◆	◆
Clindamycin	■	■	■	◆	◆
Clofazimine	◆	◆	◆	▲	▲
Cloxacillin	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆
Doxycycline	■	■	■	◆	◆

Key to abbreviations

EFV	Efavirenz (Sustiva® Stocrin®)
ETV	Etravirine (Intence®)
NVP	Nevirapine (Viramune®)
RPV	Rilpivirine (Edurant®)
RPV + F/TAF	Rilpivirine/Emtricitabine/Tenofovir alafenamide (Odefsey®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

	EFV	ETV	NVP	RPV	RPV + F/TAF
Antibacterials (continued)					
Ertapenem	◆	◆	◆	◆	◆
Erythromycin	■	▲	■	■	■
Ethambutol	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆
Flucloxacillin	◆	◆	◆	■	■
Gentamicin	◆	◆	◆	◆	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	◆	▲
Levofloxacin	◆	◆	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	▲	▲
Moxifloxacin	■	■	◆	▲	▲
Nitrofurantoin	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	◆	▲	▲
Para-aminosalicylic acid	◆	◆	◆	◆	▲
Penicillins	◆	◆	◆	◆	◆
Pyrazinamide	◆	◆	◆	◆	◆
Rifabutin	■	■	■	■	■
Rifampicin	■	●	■	●	●
Rifapentine	■	●	■	●	●
Rifaximin	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	▲
Sulfadiazine	▲	▲	◆	■	■
Telithromycin	■	■	■	■	■
Tetracyclines	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆	◆	◆	■
Vancomycin	◆	◆	◆	◆	■
Anti-coagulant, Anti-platelet and Fibrinolytic					
Acenocoumarol	■	■	■	◆	◆
Apixaban	■	■	■	◆	◆
Aspirin (anti-platelet)	■	■	■	◆	◆
Clopidogrel	■	■	■	◆	◆
Dabigatran	◆	◆	◆	▲	▲
Dalteparin	◆	◆	◆	◆	◆
Dipyridamole	■	■	◆	◆	◆
Edoxaban	■	■	◆	◆	◆
Eltrombopag	■	■	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆
Phenprocoumon	■	■	■	◆	◆
Prasugrel	■	■	◆	◆	◆
Rivaroxaban	■	■	■	◆	◆
Streptokinase	■	■	■	◆	◆
Ticagrelor	■	■	■	◆	◆
Warfarin	■	■	■	◆	◆
Anticonvulsants					
Carbamazepine	■	●	■	●	●
Clonazepam	■	■	■	◆	◆
Ethosuximide	■	■	■	◆	◆
Gabapentin	◆	◆	◆	◆	◆
Lacosamide	■	■	■	◆	◆
Lamotrigine	■	■	■	◆	◆
Levetiracetam	◆	◆	◆	◆	◆
Oxcarbazepine	■	▲	▲	●	●
Phenobarbital (Phenobarbitone)	■	●	■	●	●
Phenytoin	■	●	■	●	●
Pregabalin	◆	◆	◆	◆	◆
Topiramate	◆	◆	◆	◆	◆
Valproate (Divalproex)	◆	◆	◆	◆	◆
Vigabatrin	◆	◆	◆	◆	◆
Zonisamide	■	■	■	◆	◆
Antidepressants					
Agomelatine	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	▲	▲
Bupropion	■	◆	■	◆	◆
Citalopram	▲	▲	▲	▲	▲
Clomipramine	▲	▲	▲	▲	▲
Desipramine	◆	◆	◆	▲	▲
Doxepin	◆	◆	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆
Escitalopram	▲	▲	▲	▲	▲
Fluoxetine	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	▲	◆	◆
Imipramine	■	■	■	▲	▲
Lithium	◆	◆	◆	▲	▲
Maprotiline	◆	◆	◆	◆	◆
Mianserin	▲	▲	▲	◆	◆
Milnacipran	◆	◆	◆	◆	◆
Mirtazapine	■	▲	■	◆	◆
Nefazodone	■	■	■	■	■
Nortriptyline	◆	◆	◆	▲	▲
Paroxetine	◆	◆	◆	◆	◆
Phenelzine	◆	◆	◆	◆	◆
Reboxetine	■	■	■	◆	◆
Sertraline	▲	▲	▲	◆	◆
Tranylcypromine	■	■	■	◆	◆
Trazodone	◆	■	■	▲	▲
Trimipramine	◆	◆	◆	◆	◆
Venlafaxine	▲	▲	▲	◆	◆

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NNRTIs

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 2 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	EFV	ETV	NVP	RPV	RPV + F/TAF
Anti-diabetics					
Acarbose	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	◆
Exanatide	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	◆	◆
Gliclazide	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆
Nateglinide	◆	◆	◆	◆	◆
Pioglitazone	◆	◆	◆	◆	◆
Repaglinide	◆	◆	◆	◆	◆
Rosiglitazone	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆
Antifungals					
Amphotericin B	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆
Fluconazole	◆	◆	◆	◆	◆
Flucytosine	◆	◆	◆	◆	◆
Griseofulvin	◆	◆	◆	◆	◆
Itraconazole	◆	◆	◆	◆	◆
Ketoconazole	◆	◆	◆	◆	◆
Miconazole	◆	◆	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆
Posaconazole	◆	◆	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆
Voriconazole	◆	◆	◆	◆	◆
Antihistamines					
Astemizole	◆	◆	◆	◆	◆
Cetirizine	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	◆	◆
Terfenadine	◆	◆	◆	◆	◆
Antimigraine Agents					
Almotriptan	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	◆	◆
Ergotamine	◆	◆	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆
Antiprotozoals					
Amodiaquine	◆	◆	◆	◆	◆
Artemisinin	◆	◆	◆	◆	◆
Atovaquone	◆	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆
Chloroquine	◆	◆	◆	◆	◆
Diloxanide	◆	◆	◆	◆	◆
Eflornithine	◆	◆	◆	◆	◆
Halofantrine	◆	◆	◆	◆	◆
Lumefantrine	◆	◆	◆	◆	◆
Mefloquine	◆	◆	◆	◆	◆
Meglumine antimoniate	◆	◆	◆	◆	◆
Melarsoprol	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆
Pentamidine	◆	◆	◆	◆	◆
Primaquine	◆	◆	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆	◆
Quinine	◆	◆	◆	◆	◆
Sodium stibogluconate	◆	◆	◆	◆	◆
Sulfadoxine	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

	EFV	ETV	NVP	RPV	RPV + F/TAF
Antipsychotics/Neuroleptics					
Amisulpride	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	◆	◆	◆
Asenapine	◆	◆	◆	◆	◆
Chlorpromazine	◆	◆	◆	◆	◆
Clozapine	◆	◆	◆	◆	◆
Fluphenazine	◆	◆	◆	◆	◆
Haloperidol	◆	◆	◆	◆	◆
Iloperidone	◆	◆	◆	◆	◆
Levomopromazine	◆	◆	◆	◆	◆
Olanzapine	◆	◆	◆	◆	◆
Paliperidone	◆	◆	◆	◆	◆
Perazine	◆	◆	◆	◆	◆
Pericazone	◆	◆	◆	◆	◆
Perphenazine	◆	◆	◆	◆	◆
Pimozide	◆	◆	◆	◆	◆
Pipotiazine	◆	◆	◆	◆	◆
Quetiapine	◆	◆	◆	◆	◆
Risperidone	◆	◆	◆	◆	◆
Sulpiride	◆	◆	◆	◆	◆
Thioridazine	◆	◆	◆	◆	◆
Tiapride	◆	◆	◆	◆	◆
Ziprasidone	◆	◆	◆	◆	◆
Zotepine	◆	◆	◆	◆	◆
Zuclopenthixol	◆	◆	◆	◆	◆
Antivirals					
Aciclovir	◆	◆	◆	◆	◆
Adefovir	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆
Boceprevir	◆	◆	◆	◆	◆
Cidofovir	◆	◆	◆	◆	◆
Daclatasvir	◆	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	◆	◆	◆	◆	◆
Ledipasvir/sofosbuvir	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	◆	◆	◆
Oseltamivir	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆
Simeprevir	◆	◆	◆	◆	◆
Sofosbuvir	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	◆	◆	◆
Telaprevir	◆	◆	◆	◆	◆
Telbivudine	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆
Anxiolytics/Hypnotics/ Sedatives					
Alprazolam	◆	◆	◆	◆	◆
Bromazepam	◆	◆	◆	◆	◆
Buspiron	◆	◆	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	◆	◆
Clorazepate	◆	◆	◆	◆	◆
Diazepam	◆	◆	◆	◆	◆
Estazolam	◆	◆	◆	◆	◆
Flunitrazepam	◆	◆	◆	◆	◆
Flurazepam	◆	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	◆	◆
Lorazepam	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	◆	◆
Midazolam (parenteral)	◆	◆	◆	◆	◆
Oxazepam	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	◆
Zaleplon	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	◆
Zopiclone	◆	◆	◆	◆	◆
Beta Blockers					
Atenolol	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	◆
Carvedilol	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆
Timolol	◆	◆	◆	◆	◆

Key to abbreviations

EFV	Efavirenz (Sustiva® Stocrin®)
ETV	Etravirine (Intence®)
NVP	Nevirapine (Viramune®)
RPV	Rilpivirine (Edurant®)
RPV + F/TAF	Rilpivirine/Emtricitabine/Tenofovir alafenamide (Odefsey®)

Key to symbols

◆	These drugs should not be coadministered
◆	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
◆	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
◆	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly excludes liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NNRTIs

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 3 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	EFV	ETV	NVP	RPV	RPV + F/TAF
Bronchodilators					
Acclidinium bromide	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆
Formoterol	◆	◆	◆	▲	▲
Glycopyrronium bromide	◆	◆	◆	◆	◆
Indacaterol	▲	▲	▲	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆
Montelukast	▲	▲	▲	◆	◆
Olodaterol	◆	◆	◆	◆	◆
Roflumilast	■	■	■	◆	◆
Salbutamol	◆	◆	◆	◆	◆
Salmeterol	■	■	■	▲	▲
Theophylline	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆
Vilanterol	▲	▲	▲	◆	◆
Calcium Channel Blockers					
Amlodipine	■	■	■	◆	◆
Diltiazem	■	■	■	◆	◆
Felodipine	■	■	■	◆	◆
Nicardipine	■	■	■	◆	◆
Nifedipine	■	■	■	◆	◆
Nisoldipine	■	■	■	◆	◆
Nitrendipine	■	■	■	◆	◆
Verapamil	■	■	■	■	■
Contraceptives/HRT					
Desogestrel (COC)	●	▲	▲	◆	◆
Desogestrel (POP)	●	▲	▲	◆	◆
Drospirenone (COC)	●	▲	▲	◆	◆
Drospirenone (HRT)	■	■	■	◆	◆
Dydrogesterone (HRT)	■	■	■	◆	◆
Estradiol	■	■	■	◆	◆
Ethinylestradiol	■	■	■	◆	◆
Etonogestrel (implant)	●	▲	▲	◆	◆
Etonogestrel (vaginal ring)	●	▲	▲	◆	◆
Gestodene (COC)	●	▲	▲	◆	◆
Levonorgestrel (COC)	●	▲	▲	◆	◆
Levonorgestrel (emergency contraception)	■	■	■	◆	◆
Levonorgestrel (HRT)	■	■	■	◆	◆
Levonorgestrel (implant)	●	▲	▲	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆
Levonorgestrel (POP)	●	▲	▲	◆	◆
Medroxyprogesterone (depot injection)	◆	◆	◆	◆	◆
Medroxyprogesterone (oral)	■	■	■	◆	◆
Norelgestromin (patch)	●	▲	▲	◆	◆
Norethisterone [Norethindrone] (COC)	●	◆	▲	◆	◆
Norethisterone [Norethindrone] (HRT)	■	■	■	◆	◆
Norethisterone [Norethindrone] (IM depot)	■	◆	◆	◆	◆
Norethisterone [Norethindrone] (POP)	●	▲	▲	◆	◆
Norgestimate (COC)	●	▲	▲	◆	◆
Norgestrel (COC)	●	▲	▲	◆	◆
Norgestrel (HRT)	■	■	■	◆	◆
Ulipristal	■	■	■	◆	◆
Cytotoxics					
Anastrozole	■	■	■	◆	◆
Asparaginase	◆	◆	◆	◆	◆
Bexarotene	◆	■	■	■	■
Bleomycin	◆	◆	◆	◆	◆
Bortezomib	■	■	■	▲	▲
Capecitabine	◆	◆	◆	◆	◆
Carboplatin	◆	◆	◆	◆	■
Chlorambucil	◆	◆	◆	◆	■
Cisplatin	◆	◆	◆	◆	■
Cyclophosphamide	■	■	■	◆	◆
Cytarabine	◆	◆	◆	◆	◆
Dacarbazine	◆	◆	◆	◆	◆
Dactinomycin	◆	◆	◆	◆	◆
Dasatinib	◆	■	■	▲	▲
Daunorubicin	◆	◆	◆	◆	▲
Docetaxel	◆	■	■	■	■
Doxorubicin	◆	◆	◆	◆	■
Droloxifene	■	■	■	◆	◆
Epirubicin	■	◆	◆	▲	▲
Erlotinib	■	■	■	◆	◆
Estramustine	◆	◆	◆	◆	◆
Etoposide	◆	■	■	◆	◆
Everolimus	■	■	■	◆	◆
Exemestane	■	■	■	◆	◆
Fludarabine	◆	◆	◆	◆	◆
Fluorouracil	◆	◆	◆	◆	■
Formestane	◆	◆	◆	◆	◆
Gefitinib	◆	■	■	◆	◆
Gemcitabine	◆	◆	◆	◆	◆
Ifosfamide	■	■	■	■	■
Imatinib	■	■	■	■	■
Irinotecan	■	■	■	◆	◆
Lapatinib	■	■	■	▲	▲
Letrozole	■	■	■	◆	◆

Key to abbreviations

EFV	Efavirenz (Sustiva® Stocrin®)
ETV	Etravirine (Intence®)
NVP	Nevirapine (Viramune®)
RPV	Rilpivirine (Edurant®)
RPV + F/TAF	Rilpivirine/Emtricitabine/Tenofovir alafenamide (Odefsey®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

	EFV	ETV	NVP	RPV	RPV + F/TAF
Cytotoxics (continued)					
Mercaptopurine	◆	◆	◆	◆	◆
Mesna	◆	◆	◆	◆	◆
Methotrexate	◆	◆	◆	◆	◆
Mitoxantrone	■	■	■	▲	▲
Nilotinib	■	■	■	▲	▲
Oxaliplatin	◆	◆	◆	◆	◆
Paclitaxel	■	■	■	■	■
Pazopanib	■	■	■	▲	▲
Procarbazine	■	◆	■	◆	◆
Rituximab	◆	◆	◆	◆	◆
Sorafenib	■	■	■	▲	▲
Sunitinib	■	■	■	▲	▲
Tamoxifen	■	■	■	■	■
Temsirolimus	■	■	■	▲	▲
Topotecan	■	■	■	■	■
Toremifene	■	■	■	▲	▲
Vinblastine	■	■	■	■	■
Vincristine	■	■	■	◆	◆
Vorinostat	◆	◆	◆	▲	▲
Erectile Dysfunctional Agents					
Sildenafil (Erectile Dysfunction)	■	■	■	◆	◆
Tadalafil (Erectile Dysfunction)	■	■	■	◆	◆
Vardenafil	■	■	■	◆	◆
Gastrointestinal Agents					
Alosetron	◆	◆	◆	◆	◆
Aluminium hydroxide	◆	◆	◆	■	■
Antacids	◆	◆	◆	■	■
Bisacodyl	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	■	■
Cisapride	●	■	■	▲	▲
Esomeprazole	◆	◆	◆	●	●
Famotidine	◆	◆	◆	■	■
Lactulose	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	●	●
Loperamide	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	●	●
Pantoprazole	◆	◆	◆	●	●
Prucalopride	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	●	●
Ranitidine	◆	◆	◆	■	■
Senna	◆	◆	◆	◆	◆
Gastrointestinal Agents (anti-emetics)					
Aprepitant	■	■	■	▲	▲
Dolasetron	◆	◆	◆	▲	▲
Domperidone	■	■	■	▲	▲
Dronabinol	■	■	■	◆	◆
Granisetron	■	■	■	▲	▲
Metoclopramide	◆	◆	◆	◆	◆
Ondansetron	◆	◆	◆	▲	▲
Prochlorperazine	◆	◆	◆	▲	▲
Herbals/Supplements/Vitamins					
African potato	◆	◆	◆	■	■
Aloe vera	◆	◆	◆	◆	◆
Ascorbic Acid (Vitamin C)	◆	◆	◆	◆	◆
Cat's claw (Uncaria tomentosa)	■	■	■	■	■
Colecalciferol (vitamin D3)	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	◆	◆	◆	▲	▲
Cyanocobalamin	◆	◆	◆	◆	◆
Echinacea	◆	◆	◆	▲	▲
Eucalyptus globulus	◆	◆	◆	◆	◆
Folic acid	◆	◆	◆	◆	◆
Garlic	■	■	■	■	■
Ginger (Zingiber officinale)	◆	◆	◆	▲	▲
Ginkgo biloba	■	■	■	▲	▲
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	▲	▲
Hops (Humulus lupulus)	■	■	■	■	■
Inula racemosa	◆	◆	◆	▲	▲
Iodine	◆	◆	◆	◆	◆
Iron supplements	◆	◆	◆	◆	◆
Liquorice (Glycyrrhiza glabra)	◆	◆	◆	▲	▲
Malabar nut tree	■	■	■	■	■
Menthhol	◆	◆	◆	▲	▲
Milk thistle	◆	◆	◆	◆	◆
Nicotinamide	◆	◆	◆	◆	◆
Phytomenadione (vitamin K)	◆	◆	◆	◆	◆
Pyridoxine (vitamin B6)	◆	◆	◆	◆	◆
Quercetin	■	■	■	■	■
Retinol (vitamin A)	◆	◆	◆	◆	◆
Riboflavin (vitamin B2)	◆	◆	◆	◆	◆
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	▲	▲
St John's Wort	●	●	●	●	●
Thiamine (vitamin B1)	◆	◆	◆	◆	◆
Turmeric (Curcuma longa)	◆	◆	◆	◆	◆
Valerian	◆	◆	◆	◆	◆
Vitamin E	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly excludes liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NNRTIs

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 4 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	EFV	ETV	NVP	RPV	RPV + F/TAF
Hypertension / Heart Failure Agents					
Aliskiren	◆	■	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆
Amiloride	◆	◆	◆	◆	◆
Bendroflumethiazide	+	+	+	◆	◆
Bosentan	■	■	■	■	■
Candesartan	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆
Digoxin	◆	■	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆
Doxazosin	■	■	■	◆	◆
Enalapril	◆	◆	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆
Hydralazine	◆	◆	◆	◆	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆
Indapamide	■	■	■	◆	◆
Irbesartan	▲	▲	◆	◆	◆
Isosorbide dinitrate	▲	▲	▲	◆	◆
Ivabradine	■	■	◆	■	■
Labelalol	■	■	◆	◆	◆
Lacidipine	■	■	◆	◆	◆
Lercanidipine	■	■	■	◆	◆
Lisinopril	◆	◆	◆	◆	◆
Losartan	▲	▲	◆	◆	◆
Macitentan	■	■	■	◆	◆
Methyldopa	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆
Olmestartan	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆
Prazosin	■	■	■	◆	◆
Quinapril	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆
Ranolazine	■	■	■	■	■
Riociguat	■	■	■	◆	◆
Sacubitril	◆	◆	◆	◆	◆
Selexipag	◆	◆	◆	◆	◆
Sildenafil (PAH)	■	■	■	◆	◆
Sodium nitroprusside	◆	◆	◆	◆	◆
Spironolactone	◆	◆	◆	◆	◆
Tadalafil (PAH)	■	■	■	◆	◆
Telmisartan	◆	◆	◆	◆	◆
Terazosin	■	■	■	◆	◆
Torsemide	▲	▲	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆
Treprostinil	■	◆	◆	◆	◆
Valsartan	◆	◆	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆
Illicit/Recreational					
Alcohol	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆
Cannabis	■	■	◆	◆	◆
Cocaine	■	■	■	▲	▲
Ecstasy (MDMA)	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	◆
Heroin	■	■	■	◆	◆
LSD (Lysergic acid diethylamide)	■	■	■	◆	◆
Mephedrone	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆
Phencyclidine (PCP)	■	■	■	◆	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆
Immune Modulators					
Hydroxyurea (Hydroxycarbamide)	◆	◆	◆	◆	■
Interferon alpha	◆	◆	◆	◆	■
Interleukin 2 (Aldesleukin)	◆	◆	◆	◆	◆
Peginterferon alfa-2a	◆	◆	◆	◆	■
Immunosuppressants					
Anti-thymocyte globulin	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆
Ciclosporin	■	■	■	▲	■
Mycophenolate	■	◆	■	◆	◆
Sirolimus	■	■	■	◆	◆
Tacrolimus	■	■	■	◆	◆
Lipid Lowering Agents					
Atorvastatin	▲	▲	▲	◆	◆
Bezafibrate	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆
Fluvastatin	▲	▲	◆	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆
Lovastatin	■	■	■	◆	◆
Pitavastatin	◆	◆	◆	◆	◆
Pravastatin	▲	▲	◆	◆	◆
Rosuvastatin	◆	◆	◆	◆	◆
Simvastatin	■	■	■	◆	◆

Key to abbreviations

EFV	Efavirenz (Sustiva® Stocrin®)
ETV	Etravirine (Intence®)
NVP	Nevirapine (Viramune®)
RPV	Rilpivirine (Edurant®)
RPV + F/TAF	Rilpivirine/Emtricitabine/Tenofovir alafenamide (Odefsey®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

	EFV	ETV	NVP	RPV	RPV + F/TAF
Other					
Acetazolamide	◆	◆	◆	◆	◆
Acitretin	◆	◆	◆	◆	◆
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆
Alendronic Acid	◆	◆	◆	◆	◆
Alfuzosin	■	■	■	◆	◆
Allopurinol	◆	◆	◆	◆	◆
Atropine	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆
Biperiden	+	+	+	◆	◆
Caffeine citrate	◆	◆	◆	◆	◆
Calcium	◆	◆	◆	◆	◆
Carbamazole	◆	◆	◆	◆	◆
Clomifene	◆	◆	◆	◆	◆
Colchicine	▲	▲	▲	◆	◆
Cyproterone acetate	■	■	■	◆	◆
Denosumab	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆
Dutasteride	■	■	■	◆	◆
Finasteride	■	■	■	◆	◆
Flibanserin	■	▲	▲	▲	▲
Goserelin	◆	◆	◆	◆	◆
Ibandronic acid	◆	◆	◆	◆	◆
Isotretinoin	■	▲	▲	◆	◆
Leuprorelin	◆	◆	◆	◆	◆
Levothyroxine	■	■	◆	◆	◆
Magnesium	◆	◆	◆	◆	◆
Mannitol	◆	◆	◆	◆	◆
Methylphenidate	◆	◆	◆	◆	◆
Modafinil	■	■	■	■	■
Naftidrofuryl	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆
Orlistat	▲	▲	▲	▲	▲
Penicillamine	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆
Potassium	◆	◆	◆	◆	◆
Probenecid	◆	◆	◆	◆	◆
Propylthiouracil	◆	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	◆	◆	◆
Strontium ranelate	▲	▲	▲	▲	▲
Sulfasalazine	◆	◆	◆	◆	◆
Tamsulosin	■	■	■	◆	◆
Thalidomide	◆	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆	◆
Varenicline	◆	◆	◆	◆	◆
Zoledronic acid	◆	◆	◆	◆	◆
Overactive Bladder Agents					
Darifenacin	■	■	■	◆	◆
Fesoterodine	■	■	■	◆	◆
Mirabegron	◆	◆	◆	◆	◆
Oxybutynin	■	■	■	◆	◆
Solifenacin	■	■	■	◆	◆
Tolterodine	■	■	■	▲	▲
Trospium	◆	◆	◆	◆	▲
Oxytocics					
Ergometrine (Ergonovine)	●	●	■	◆	◆
Mifepristone	■	■	■	▲	▲
Misoprostol	◆	◆	◆	◆	◆
Oxytocin	◆	◆	◆	◆	◆
Parkinsonism Agents					
Apomorphine	▲	▲	▲	◆	◆
Benserazide	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆
Rasagiline	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆
Steroids					
Beclomethasone	◆	◆	◆	◆	◆
Betamethasone	■	■	■	■	■
Budesonide	◆	◆	◆	◆	◆
Clobetasol	◆	◆	◆	◆	◆
Dexamethasone	◆	◆	■	●	●
Fludrocortisone	■	■	■	◆	◆
Fluocinolone	◆	◆	◆	◆	◆
Fluticasone	◆	◆	◆	◆	◆
Hydrocortisone (oral)	■	■	■	◆	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆
Methylprednisolone	■	■	■	◆	◆
Mometasone	■	■	■	◆	◆
Nandrolone	+	+	+	+	+
Oxandrolone	+	+	+	+	+
Prednisolone	■	■	■	◆	◆
Prednisone	■	■	■	◆	◆
Stanozolol	■	■	■	◆	◆
Testosterone	■	■	■	◆	◆
Triamcinolone	■	■	■	◆	◆

For personal use only. Not for distribution.

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly excludes liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 1 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Anaesthetics & Muscle Relaxants								
Alcuronium	◆	◆	▲	▲	▲	▲	▲	◆
Bupivacaine	◆	◆	◆	◆	◆	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆	◆	◆	◆
Ephedrine	◆	◆	◆	◆	◆	◆	◆	◆
Halothane	◆	◆	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	◆	◆	◆	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	◆	◆	◆	◆	◆	◆
Rocuronium	◆	◆	◆	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	◆	◆	◆	◆	◆	◆
Sufentanil	◆	◆	◆	◆	◆	◆	◆	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	◆	◆	◆	◆	◆
Vecuronium	◆	◆	◆	◆	◆	◆	◆	◆
Analgesics								
Alfentanil	◆	◆	◆	◆	◆	◆	◆	◆
Aspirin	◆	◆	◆	◆	◆	◆	◆	◆
Buprenorphine	◆	◆	◆	◆	◆	◆	◆	◆
Celecoxib	◆	◆	◆	◆	◆	◆	◆	◆
Codeine	◆	◆	◆	◆	◆	◆	◆	◆
Dextropropoxyphene	◆	◆	◆	◆	◆	◆	◆	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	◆	◆	◆	◆	◆
Diclofenac	◆	◆	◆	◆	◆	◆	◆	◆
Dihydrocodeine	◆	◆	◆	◆	◆	◆	◆	◆
Fentanyl	◆	◆	◆	◆	◆	◆	◆	◆
Hydrocodone	◆	◆	◆	◆	◆	◆	◆	◆
Hydromorphone	◆	◆	◆	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	◆	◆	◆	◆	◆	◆
Mefenamic acid	◆	◆	◆	◆	◆	◆	◆	◆
Methadone	▲	◆	◆	◆	◆	◆	◆	◆
Morphine	◆	◆	◆	◆	◆	◆	◆	◆
Naproxen	◆	◆	◆	◆	◆	◆	◆	◆
Nimesulide	◆	◆	◆	◆	◆	◆	◆	◆
Oxycodone	◆	◆	◆	◆	◆	◆	◆	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	◆	◆	◆	◆	◆
Piroxicam	◆	◆	◆	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	◆	◆	◆	◆	◆
Anthelmintics								
Albendazole	◆	◆	◆	◆	◆	◆	◆	◆
Diethylcarbamazine	◆	◆	◆	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	◆	◆	◆	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆	◆	◆	◆
Mebendazole	◆	◆	◆	◆	◆	◆	◆	◆
Niclosamide	◆	◆	◆	◆	◆	◆	◆	◆
Oxamniquine	◆	◆	◆	◆	◆	◆	◆	◆
Praziquantel	◆	◆	◆	◆	◆	◆	◆	◆
Pyrantel	◆	◆	◆	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆	◆	◆	◆
Triclabendazole	◆	◆	◆	◆	◆	◆	◆	◆
Antiarrhythmics								
Amiodarone	◆	◆	◆	◆	◆	◆	◆	◆
Bepidil	◆	◆	◆	◆	◆	◆	◆	◆
Disopyramide	◆	◆	◆	◆	◆	◆	◆	◆
Flecainide	◆	◆	◆	◆	◆	◆	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	◆	◆	◆	◆	◆
Mexiletine	◆	◆	◆	◆	◆	◆	◆	◆
Propafenone	◆	◆	◆	◆	◆	◆	◆	◆
Quinidine	◆	◆	◆	◆	◆	◆	◆	◆
Antibacterials								
Amikacin	◆	◆	◆	◆	◆	◆	◆	◆
Amoxicillin	◆	◆	◆	◆	◆	◆	◆	◆
Ampicillin	◆	◆	◆	◆	◆	◆	◆	◆
Azithromycin	◆	◆	◆	◆	◆	◆	◆	◆
Bedaquiline	◆	◆	◆	◆	◆	◆	◆	◆
Capreomycin	◆	◆	◆	◆	◆	◆	◆	◆
Cefalexin	◆	◆	◆	◆	◆	◆	◆	◆
Cefazolin	◆	◆	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆	◆	◆	◆
Ciprofloxacin	◆	◆	◆	◆	◆	◆	◆	◆
Clarithromycin	◆	◆	◆	◆	◆	◆	◆	◆
Clavulanic acid	◆	◆	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	◆	◆	◆	◆	◆
Clofazimine	◆	◆	◆	◆	◆	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆	◆	◆
Doxycycline	◆	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

ABC	Abacavir (Ziagen®)
ddl	Didanosine (Videx®, Videx-EC®)
FTC	Emtricitabine (Emtriva®)
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy®)
3TC	Lamivudine (EpiVir®)
d4T	Stavudine (Zerit®)
TDF	Tenofovir disoproxil fumarate (Viread®)
ZDV	Zidovudine (Retrovir®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Antibacterials (continued)								
Ertapenem	◆	◆	◆	◆	◆	◆	◆	◆
Erythromycin	◆	◆	◆	◆	◆	◆	◆	◆
Ethambutol	◆	◆	◆	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆	◆	◆	◆
Flucloxacillin	■	◆	◆	◆	◆	◆	▲	◆
Gentamicin	◆	◆	■	■	◆	◆	■	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	■	◆	◆
Kanamycin	◆	◆	▲	▲	▲	◆	■	◆
Levofloxacin	◆	◆	◆	◆	▲	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆	◆	◆
Metronidazole	▲	◆	◆	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	◆	◆	◆	◆	◆	◆
Nitrofurantoin	◆	■	◆	◆	◆	■	◆	■
Ofloxacin	◆	◆	◆	◆	◆	◆	◆	◆
Para-aminosalicylic acid	◆	■	▲	▲	▲	■	▲	◆
Penicillins	◆	◆	◆	◆	◆	◆	◆	◆
Pyrazinamide	◆	■	◆	◆	◆	◆	◆	◆
Rifabutin	◆	◆	◆	●	◆	◆	◆	◆
Rifampicin	▲	◆	◆	●	◆	◆	◆	■
Rifapentine	◆	◆	◆	●	◆	◆	◆	◆
Rifaximin	◆	◆	◆	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	▲	▲	▲	◆	■	◆
Sulfadiazine	◆	◆	■	■	■	■	■	■
Telithromycin	◆	◆	◆	◆	◆	◆	◆	◆
Tetracyclines	◆	■	◆	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆	▲	▲	▲	■	◆	■
Vancomycin	◆	◆	■	■	◆	◆	■	■
Anti-coagulant, Anti-platelet and Fibrinolytic								
Acenocoumarol	◆	◆	◆	◆	◆	◆	◆	◆
Apixaban	◆	◆	◆	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆	◆	◆	◆
Clopidogrel	◆	◆	◆	◆	◆	◆	◆	◆
Dabigatran	◆	◆	◆	◆	◆	◆	◆	◆
Dalteparin	◆	◆	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	◆	◆	◆	◆	◆
Eltrombopag	◆	◆	◆	◆	◆	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	◆	◆	◆	◆	◆
Prasugrel	◆	◆	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	◆	◆	◆	◆	◆	◆
Streptokinase	◆	◆	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	◆	◆	◆	◆	◆
Warfarin	◆	◆	◆	◆	◆	◆	◆	◆
Anticonvulsants								
Carbamazepine	▲	◆	◆	●	◆	◆	◆	▲
Clonazepam	◆	◆	◆	◆	◆	◆	◆	◆
Ethosuximide	◆	◆	◆	◆	◆	◆	◆	■
Gabapentin	◆	■	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆	◆	◆	◆	◆
Oxcarbazepine	◆	◆	◆	●	◆	◆	◆	◆
Phenobarbital (Phenobarbitone)	■	◆	◆	●	◆	◆	◆	■
Phenytoin	■	◆	◆	●	◆	◆	◆	▲
Pregabalin	◆	◆	◆	◆	◆	◆	◆	◆
Topiramate	◆	◆	◆	◆	◆	◆	■	◆
Valproate (Divalproex)	◆	◆	◆	◆	◆	◆	◆	■
Vigabatrin	◆	◆	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆	◆	◆	◆
Antidepressants								
Agomelatine	◆	◆	◆	◆	◆	◆	◆	◆
Amitriptyline	◆	◆	◆	◆	◆	◆	◆	◆
Bupropion	◆	◆	◆	◆	◆	◆	◆	◆
Citalopram	◆	◆	◆	◆	◆	◆	◆	◆
Clomipramine	◆	◆	◆	◆	◆	◆	◆	◆
Desipramine	◆	◆	◆	◆	◆	◆	◆	◆
Doxepin	◆	◆	◆	◆	◆	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆	◆	◆	◆
Escitalopram	◆	◆	◆	◆	◆	◆	◆	◆
Fluoxetine	◆	◆	◆	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆	◆	◆	◆	◆
Imipramine	◆	◆	◆	◆	◆	◆	◆	◆
Lithium	◆	■	■	■	■	■	■	◆
Maprotiline	◆	◆	◆	◆	◆	◆	◆	◆
Mianserin	◆	◆	◆	◆	◆	◆	◆	◆
Milnacipran	◆	◆	◆	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	◆	◆	◆	◆	◆	◆
Nefazodone	◆	◆	◆	◆	◆	◆	◆	◆
Nortriptyline	◆	◆	◆	◆	◆	◆	◆	◆
Paroxetine	◆	◆	◆	◆	◆	◆	◆	◆
Phenelzine	◆	◆	◆	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	◆	◆	◆	◆	◆
Sertraline	◆	◆	◆	◆	◆	◆	◆	◆
Tranylcypromine	◆	◆	◆	◆	◆	◆	◆	◆
Trazodone	◆	◆	◆	◆	◆	◆	◆	◆
Trimipramine	◆	◆	◆	◆	◆	◆	◆	◆
Venlafaxine	◆	◆	◆	◆	◆	◆	◆	◆

Interactions with NRTIs

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 2 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Anti-diabetics								
Acarbose	◆	◆	◆	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	◆	◆	◆	◆
Exanatide	◆	◆	◆	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	◆	◆	◆	◆	◆
Gliclazide	◆	◆	◆	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆	◆	◆	◆
Nateglinide	◆	◆	◆	◆	◆	◆	◆	◆
Pioglitazone	◆	◆	◆	◆	◆	◆	◆	◆
Repaglinide	◆	◆	◆	◆	◆	◆	◆	◆
Rosiglitazone	◆	◆	◆	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆	◆	◆	◆
Antifungals								
Amphotericin B	◆	◆	◆	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	◆	◆	◆	◆	◆	◆
Flucytosine	◆	◆	◆	◆	◆	◆	◆	◆
Griseofulvin	◆	◆	◆	◆	◆	◆	◆	◆
Itraconazole	◆	◆	◆	◆	◆	◆	◆	◆
Ketoconazole	◆	◆	◆	◆	◆	◆	◆	◆
Miconazole	◆	◆	◆	◆	◆	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆	◆	◆	◆
Posaconazole	◆	◆	◆	◆	◆	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆	◆	◆	◆
Voriconazole	◆	◆	◆	◆	◆	◆	◆	◆
Antihistamines								
Astemizole	◆	◆	◆	◆	◆	◆	◆	◆
Cetirizine	◆	◆	◆	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	◆	◆	◆	◆	◆
Terfenadine	◆	◆	◆	◆	◆	◆	◆	◆
Antimigraine Agents								
Almotriptan	◆	◆	◆	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	◆	◆	◆	◆	◆
Ergotamine	◆	◆	◆	◆	◆	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆	◆
Antiprotozoals								
Amodiaquine	◆	◆	◆	◆	◆	◆	◆	◆
Artemisinin	◆	◆	◆	◆	◆	◆	◆	◆
Atovaquone	◆	◆	◆	◆	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆	◆	◆	◆
Chloroquine	◆	◆	◆	◆	◆	◆	◆	◆
Diloxanide	◆	◆	◆	◆	◆	◆	◆	◆
Eflornithine	◆	◆	◆	◆	◆	◆	◆	◆
Halofantrine	◆	◆	◆	◆	◆	◆	◆	◆
Lumefantrine	◆	◆	◆	◆	◆	◆	◆	◆
Mefloquine	◆	◆	◆	◆	◆	◆	◆	◆
Meglumine antimoniate	◆	◆	◆	◆	◆	◆	◆	◆
Melarsoprol	◆	◆	◆	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆	◆	◆	◆
Pentamidine	◆	◆	◆	◆	◆	◆	◆	◆
Primaquine	◆	◆	◆	◆	◆	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆	◆	◆	◆	◆
Quinine	◆	◆	◆	◆	◆	◆	◆	◆
Sodium stibogluconate	◆	◆	◆	◆	◆	◆	◆	◆
Sulfadoxine	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Antipsychotics/Neuroleptics								
Amisulpride	◆	◆	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	◆	◆	◆	◆	◆	◆
Asenapine	◆	◆	◆	◆	◆	◆	◆	◆
Chlorpromazine	◆	◆	◆	◆	◆	◆	◆	◆
Clozapine	◆	◆	◆	◆	◆	◆	◆	◆
Fluphenazine	◆	◆	◆	◆	◆	◆	◆	◆
Haloperidol	◆	◆	◆	◆	◆	◆	◆	◆
Iloperidone	◆	◆	◆	◆	◆	◆	◆	◆
Levomepromazine	◆	◆	◆	◆	◆	◆	◆	◆
Olanzapine	◆	◆	◆	◆	◆	◆	◆	◆
Paliperidone	◆	◆	◆	◆	◆	◆	◆	◆
Perazine	◆	◆	◆	◆	◆	◆	◆	◆
Pericyazine	◆	◆	◆	◆	◆	◆	◆	◆
Perphenazine	◆	◆	◆	◆	◆	◆	◆	◆
Pimozide	◆	◆	◆	◆	◆	◆	◆	◆
Pipotiazine	◆	◆	◆	◆	◆	◆	◆	◆
Quetiapine	◆	◆	◆	◆	◆	◆	◆	◆
Risperidone	◆	◆	◆	◆	◆	◆	◆	◆
Sulpiride	◆	◆	◆	◆	◆	◆	◆	◆
Thioridazine	◆	◆	◆	◆	◆	◆	◆	◆
Tiapride	◆	◆	◆	◆	◆	◆	◆	◆
Ziprasidone	◆	◆	◆	◆	◆	◆	◆	◆
Zotepine	◆	◆	◆	◆	◆	◆	◆	◆
Zuclophenixol	◆	◆	◆	◆	◆	◆	◆	◆
Antivirals								
Aciclovir	◆	◆	◆	◆	◆	◆	◆	◆
Adefovir	◆	◆	◆	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆	◆	◆	◆
Boceprevir	◆	◆	◆	◆	◆	◆	◆	◆
Cidofovir	◆	◆	◆	◆	◆	◆	◆	◆
Daclatasvir	◆	◆	◆	◆	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	◆	◆	◆	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	◆	◆	◆	◆	◆	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	◆	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r	◆	◆	◆	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	◆	◆	◆	◆	◆	◆
Oseltamivir	◆	◆	◆	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆	◆	◆
Simeprevir	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	◆	◆	◆	◆	◆	◆
Telaprevir	◆	◆	◆	◆	◆	◆	◆	◆
Telbivudine	◆	◆	◆	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆	◆	◆	◆
Anxiolytics/Hypnotics/ Sedatives								
Alprazolam	◆	◆	◆	◆	◆	◆	◆	◆
Bromazepam	◆	◆	◆	◆	◆	◆	◆	◆
Buspiron	◆	◆	◆	◆	◆	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	◆	◆	◆	◆	◆
Clorazepate	◆	◆	◆	◆	◆	◆	◆	◆
Diazepam	◆	◆	◆	◆	◆	◆	◆	◆
Estazolam	◆	◆	◆	◆	◆	◆	◆	◆
Flunitrazepam	◆	◆	◆	◆	◆	◆	◆	◆
Flurazepam	◆	◆	◆	◆	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	◆	◆	◆	◆	◆
Lorazepam	◆	◆	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	◆	◆	◆	◆	◆
Midazolam (parenteral)	◆	◆	◆	◆	◆	◆	◆	◆
Oxazepam	◆	◆	◆	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	◆	◆	◆	◆
Zaleplon	◆	◆	◆	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	◆	◆	◆	◆
Zopiclone	◆	◆	◆	◆	◆	◆	◆	◆
Beta Blockers								
Atenolol	◆	◆	◆	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	◆	◆	◆	◆
Carvedilol	◆	◆	◆	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆	◆	◆	◆
Timolol	◆	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

ABC	Abacavir (Ziagen®)
ddl	Didanosine (Videx®, Videx-EC®)
FTC	Emtricitabine (Emtriva®)
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy®)
3TC	Lamivudine (Epivir®)
d4T	Stavudine (Zerit®)
TDF	Tenofovir disoproxil fumarate (Viread®)
ZDV	Zidovudine (Retrovir®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, University of Liverpool
 Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly excludes liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 3 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Bronchodilators								
Acidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆	◆	◆	◆
Formoterol	◆	◆	◆	◆	◆	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	◆	◆	◆	◆
Calcium Channel Blockers								
Amlodipine	◆	◆	◆	◆	◆	◆	◆	◆
Diltiazem	◆	◆	◆	◆	◆	◆	◆	◆
Felodipine	◆	◆	◆	◆	◆	◆	◆	◆
Nicardipine	◆	◆	◆	◆	◆	◆	◆	◆
Nifedipine	◆	◆	◆	◆	◆	◆	◆	◆
Nisoldipine	◆	◆	◆	◆	◆	◆	◆	◆
Nitrendipine	◆	◆	◆	◆	◆	◆	◆	◆
Verapamil	◆	◆	◆	◆	◆	◆	◆	◆
Contraceptives/HRT								
Desogestrel (COC)	◆	◆	◆	◆	◆	◆	◆	◆
Desogestrel (POP)	◆	◆	◆	◆	◆	◆	◆	◆
Drospirenone (COC)	◆	◆	◆	◆	◆	◆	◆	◆
Drospirenone (HRT)	◆	◆	◆	◆	◆	◆	◆	◆
Dydrogesterone (HRT)	◆	◆	◆	◆	◆	◆	◆	◆
Estradiol	◆	◆	◆	◆	◆	◆	◆	◆
Ethinylestradiol	◆	◆	◆	◆	◆	◆	◆	◆
Etonogestrel (implant)	◆	◆	◆	◆	◆	◆	◆	◆
Etonogestrel (vaginal ring)	◆	◆	◆	◆	◆	◆	◆	◆
Gestodene (COC)	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (COC)	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (emergency contraception)	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (HRT)	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (implant)	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (POP)	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (depot injection)	◆	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (oral)	◆	◆	◆	◆	◆	◆	◆	◆
Norelgestromin (patch)	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (COC)	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (HRT)	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (IM depot)	◆	◆	◆	◆	◆	◆	◆	◆
Norethisterone [Norethindrone] (POP)	◆	◆	◆	◆	◆	◆	◆	◆
Norgestimate (COC)	◆	◆	◆	◆	◆	◆	◆	◆
Norgestrel (COC)	◆	◆	◆	◆	◆	◆	◆	◆
Norgestrel (HRT)	◆	◆	◆	◆	◆	◆	◆	◆
Ulipristal	◆	◆	◆	◆	◆	◆	◆	◆
Cytotoxics								
Anastrozole	◆	◆	◆	◆	◆	◆	◆	◆
Asparaginase	◆	◆	◆	◆	◆	◆	◆	◆
Bexarotene	◆	◆	◆	◆	◆	◆	◆	◆
Bleomycin	◆	◆	◆	◆	◆	◆	◆	◆
Bortezomib	◆	◆	◆	◆	◆	◆	◆	◆
Capecitabine	◆	◆	◆	◆	◆	◆	◆	◆
Carboplatin	◆	◆	◆	◆	◆	◆	◆	◆
Chlorambucil	◆	◆	◆	◆	◆	◆	◆	◆
Cisplatin	◆	◆	◆	◆	◆	◆	◆	◆
Cyclophosphamide	◆	◆	◆	◆	◆	◆	◆	◆
Cytarabine	◆	◆	◆	◆	◆	◆	◆	◆
Dacarbazine	◆	◆	◆	◆	◆	◆	◆	◆
Dactinomycin	◆	◆	◆	◆	◆	◆	◆	◆
Dasatinib	◆	◆	◆	◆	◆	◆	◆	◆
Daunorubicin	◆	◆	◆	◆	◆	◆	◆	◆
Docetaxel	◆	◆	◆	◆	◆	◆	◆	◆
Doxorubicin	◆	◆	◆	◆	◆	◆	◆	◆
Droloxifene	◆	◆	◆	◆	◆	◆	◆	◆
Epirubicin	◆	◆	◆	◆	◆	◆	◆	◆
Erlotinib	◆	◆	◆	◆	◆	◆	◆	◆
Estramustine	◆	◆	◆	◆	◆	◆	◆	◆
Etoposide	◆	◆	◆	◆	◆	◆	◆	◆
Everolimus	◆	◆	◆	◆	◆	◆	◆	◆
Exemestane	◆	◆	◆	◆	◆	◆	◆	◆
Fludarabine	◆	◆	◆	◆	◆	◆	◆	◆
Fluorouracil	◆	◆	◆	◆	◆	◆	◆	◆
Formestane	◆	◆	◆	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	◆	◆	◆	◆	◆
Gemcitabine	◆	◆	◆	◆	◆	◆	◆	◆
Ifosfamide	◆	◆	◆	◆	◆	◆	◆	◆
Imatinib	◆	◆	◆	◆	◆	◆	◆	◆
Irinotecan	◆	◆	◆	◆	◆	◆	◆	◆
Lapatinib	◆	◆	◆	◆	◆	◆	◆	◆
Letrozole	◆	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

ABC	Abacavir (Ziagen®)
ddl	Didanosine (Videx®, Videx-EC®)
FTC	Emtricitabine (Emtriva®)
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy®)
3TC	Lamivudine (Epivir®)
d4T	Stavudine (Zerit®)
TDF	Tenofovir disoproxil fumarate (Viread®)
ZDV	Zidovudine (Retrovir®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Cytotoxics (continued)								
Mercaptopurine	◆	◆	◆	◆	◆	◆	◆	◆
Mesna	◆	◆	◆	◆	◆	◆	◆	◆
Methotrexate	◆	◆	◆	◆	◆	◆	◆	◆
Mitoxantrone	◆	◆	◆	◆	◆	◆	◆	◆
Nilotinib	◆	◆	◆	◆	◆	◆	◆	◆
Oxaliplatin	◆	◆	◆	◆	◆	◆	◆	◆
Paclitaxel	◆	◆	◆	◆	◆	◆	◆	◆
Pazopanib	◆	◆	◆	◆	◆	◆	◆	◆
Procarbazine	◆	◆	◆	◆	◆	◆	◆	◆
Rituximab	◆	◆	◆	◆	◆	◆	◆	◆
Sorafenib	◆	◆	◆	◆	◆	◆	◆	◆
Sunitinib	◆	◆	◆	◆	◆	◆	◆	◆
Tamoxifen	◆	◆	◆	◆	◆	◆	◆	◆
Temsirolimus	◆	◆	◆	◆	◆	◆	◆	◆
Topotecan	◆	◆	◆	◆	◆	◆	◆	◆
Toremifene	◆	◆	◆	◆	◆	◆	◆	◆
Vinblastine	◆	◆	◆	◆	◆	◆	◆	◆
Vincristine	◆	◆	◆	◆	◆	◆	◆	◆
Vorinostat	◆	◆	◆	◆	◆	◆	◆	◆
Erectile Dysfunctional Agents								
Sildenafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆	◆	◆
Tadalafil (Erectile Dysfunction)	◆	◆	◆	◆	◆	◆	◆	◆
Vardenafil	◆	◆	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents								
Alosetron	◆	◆	◆	◆	◆	◆	◆	◆
Aluminium hydroxide	◆	◆	◆	◆	◆	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆	◆	◆	◆	◆
Cisapride	◆	◆	◆	◆	◆	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents (anti-emetics)								
Aprepitant	◆	◆	◆	◆	◆	◆	◆	◆
Dolasetron	◆	◆	◆	◆	◆	◆	◆	◆
Domperidone	◆	◆	◆	◆	◆	◆	◆	◆
Dronabinol	◆	◆	◆	◆	◆	◆	◆	◆
Granisetron	◆	◆	◆	◆	◆	◆	◆	◆
Metoclopramide	◆	◆	◆	◆	◆	◆	◆	◆
Ondansetron	◆	◆	◆	◆	◆	◆	◆	◆
Prochlorperazine	◆	◆	◆	◆	◆	◆	◆	◆
Herbals/Supplements/Vitamins								
African potato	◆	◆	◆	◆	◆	◆	◆	◆
Aloe vera	◆	◆	◆	◆	◆	◆	◆	◆
Ascorbic Acid (Vitamin C)	◆	◆	◆	◆	◆	◆	◆	◆
Cat's claw (Uncaria tomentosa)	◆	◆	◆	◆	◆	◆	◆	◆
Colecalciferol (vitamin D3)	◆	◆	◆	◆	◆	◆	◆	◆
Cubeb pepper (Piper cubeba)	◆	◆	◆	◆	◆	◆	◆	◆
Cyanocobalamin	◆	◆	◆	◆	◆	◆	◆	◆
Echinacea	◆	◆	◆	◆	◆	◆	◆	◆
Eucalyptus globulus	◆	◆	◆	◆	◆	◆	◆	◆
Folic acid	◆	◆	◆	◆	◆	◆	◆	◆
Garlic	◆	◆	◆	◆	◆	◆	◆	◆
Ginger (Zingiber officinale)	◆	◆	◆	◆	◆	◆	◆	◆
Ginkgo biloba	◆	◆	◆	◆	◆	◆	◆	◆
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	◆	◆	◆	◆	◆
Hops (Humulus lupulus)	◆	◆	◆	◆	◆	◆	◆	◆
Inula racemosa	◆	◆	◆	◆	◆	◆	◆	◆
Iodine	◆	◆	◆	◆	◆	◆	◆	◆
Iron supplements	◆	◆	◆	◆	◆	◆	◆	◆
Liquorice (Glycyrrhiza glabra)	◆	◆	◆	◆	◆	◆	◆	◆
Malabar nut tree	◆	◆	◆	◆	◆	◆	◆	◆
Menthol	◆	◆	◆	◆	◆	◆	◆	◆
Milk thistle	◆	◆	◆	◆	◆	◆	◆	◆
Nicotinamide	◆	◆	◆	◆	◆	◆	◆	◆
Phytomenadione (vitamin K)	◆	◆	◆	◆	◆	◆	◆	◆
Pyridoxine (vitamin B6)	◆	◆	◆	◆	◆	◆	◆	◆
Quercetin	◆	◆	◆	◆	◆	◆	◆	◆
Retinol (vitamin A)	◆	◆	◆	◆	◆	◆	◆	◆
Riboflavin (vitamin B2)	◆	◆	◆	◆	◆	◆	◆	◆
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	◆	◆	◆	◆	◆
St John's Wort	◆	◆	◆	◆	◆	◆	◆	◆
Thiamine (vitamin B1)	◆	◆	◆	◆	◆	◆	◆	◆
Turmeric (Curcuma longa)	◆	◆	◆	◆	◆	◆	◆	◆
Valerian	◆	◆	◆	◆	◆	◆	◆	◆
Vitamin E	◆	◆	◆	◆	◆	◆	◆	◆

For personal use only.

Interactions with NRTIs

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 4 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Hypertension / Heart Failure Agents								
Aliskiren	◆	◆	◆	◆	◆	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆	◆	◆	◆
Amiloride	◆	◆	◆	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆	◆	◆	◆
Bosentan	◆	◆	◆	◆	◆	◆	◆	◆
Candesartan	◆	◆	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆	◆	◆
Chlorthalidone	◆	◆	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆	◆	◆
Digoxin	◆	◆	◆	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆	◆	◆	◆	◆
Enalapril	◆	◆	◆	◆	◆	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆	◆	◆	◆
Hydralazine	◆	◆	◆	◆	◆	◆	◆	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆	◆	◆	◆	◆
Irbesartan	◆	◆	◆	◆	◆	◆	◆	◆
Isosorbide dinitrate	◆	◆	◆	◆	◆	◆	◆	◆
Ivabradine	◆	◆	◆	◆	◆	◆	◆	◆
Labetalol	◆	◆	◆	◆	◆	◆	◆	◆
Lacidipine	◆	◆	◆	◆	◆	◆	◆	◆
Lercanidipine	◆	◆	◆	◆	◆	◆	◆	◆
Lisinopril	◆	◆	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆	◆	◆	◆
Macitentan	◆	◆	◆	◆	◆	◆	◆	◆
Methyldopa	◆	◆	◆	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆	◆	◆	◆
Olmesartan	◆	◆	◆	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆	◆	◆
Prazosin	◆	◆	◆	◆	◆	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆	◆	◆
Ranolazine	◆	◆	◆	◆	◆	◆	◆	◆
Riociguat	◆	◆	◆	◆	◆	◆	◆	◆
Sacubitril	◆	◆	◆	◆	◆	◆	◆	◆
Selexipag	◆	◆	◆	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	◆	◆	◆	◆	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	◆	◆	◆
Spironolactone	◆	◆	◆	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	◆	◆	◆	◆	◆
Telmisartan	◆	◆	◆	◆	◆	◆	◆	◆
Terazosin	◆	◆	◆	◆	◆	◆	◆	◆
Torsemide	◆	◆	◆	◆	◆	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	◆	◆	◆	◆
Valsartan	◆	◆	◆	◆	◆	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆	◆	◆
Illicit/Recreational								
Alcohol	◆	◆	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆	◆	◆	◆	◆
Cocaine	◆	◆	◆	◆	◆	◆	◆	◆
Ecstasy (MDMA)	◆	◆	◆	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	◆	◆	◆	◆
Heroin	◆	◆	◆	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆	◆	◆	◆
Phencyclidine (PCP)	◆	◆	◆	◆	◆	◆	◆	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆	◆	◆	◆
Immune Modulators								
Hydroxyurea (Hydroxycarbamide)	◆	◆	◆	◆	◆	◆	◆	◆
Interferon alpha	◆	◆	◆	◆	◆	◆	◆	◆
Interleukin 2 (Aldesleukin)	◆	◆	◆	◆	◆	◆	◆	◆
Peginterferon alfa-2a	◆	◆	◆	◆	◆	◆	◆	◆
Immunosuppressants								
Anti-thymocyte globulin	◆	◆	◆	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆	◆	◆	◆
Ciclosporin	◆	◆	◆	◆	◆	◆	◆	◆
Mycophenolate	◆	◆	◆	◆	◆	◆	◆	◆
Sirolimus	◆	◆	◆	◆	◆	◆	◆	◆
Tacrolimus	◆	◆	◆	◆	◆	◆	◆	◆
Lipid Lowering Agents								
Atorvastatin	◆	◆	◆	◆	◆	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	◆	◆	◆	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆	◆	◆	◆
Lovastatin	◆	◆	◆	◆	◆	◆	◆	◆
Pitavastatin	◆	◆	◆	◆	◆	◆	◆	◆
Pravastatin	◆	◆	◆	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	◆	◆	◆	◆	◆	◆
Simvastatin	◆	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

ABC	Abacavir (Ziagen®)
ddl	Didanosine (Videx®, Videx-EC®)
FTC	Emtricitabine (Emtriva®)
F/TAF	Emtricitabine + Tenofovir alafenamide (Descovy®)
3TC	Lamivudine (Epivir®)
d4T	Stavudine (Zerit®)
TDF	Tenofovir disoproxil fumarate (Viread®)
ZDV	Zidovudine (Retrovir®)

Key to symbols

◆	These drugs should not be coadministered
◆	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
◆	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
◆	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

	ABC	ddl	FTC	F/TAF	3TC	d4T	TDF	ZDV
Other								
Acetazolamide	🟢	🟢	🟢	🟢	🟢	🟢	🟠	🟠
Acitretin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Adrenaline (Epinephrine)	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Alendronic Acid	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Alfuzosin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Allopurinol	🟢	🔴	🟢	🟢	🟢	🟢	🟢	🟢
Atropine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Baclofen	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Biperiden	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Caffeine citrate	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Calcium	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Carbamazole	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🔴
Clomifene	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Colchicine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Cyproterone acetate	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Denosumab	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Disulfiram	🟡	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Dutasteride	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Finasteride	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Flibanserin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Goserelin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Ibandronic acid	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Isotretinoin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Leuporelin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Levothyroxine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Magnesium	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Mannitol	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Methylphenidate	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Modafinil	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Naftidrofuryl	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Naltrexone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Neostigmine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Nicorandil	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Orlistat	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟡
Penicillamine	🟢	🔴	🟢	🟢	🟢	🟢	🔴	🔴
Pentoxifylline	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Pilocarpine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Potassium	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Probenecid	🟡	🔴	🟢	🟢	🟡	🔴	🔴	🔴
Propylthiouracil	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Protamine sulphate	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Pyridostigmine	🟢	🟢	🟡	🟡	🟡	🔴	🟡	🟢
Strontium ranelate	🟡	🟡	🟡	🟡	🟡	🟡	🟡	🟡
Sulfasalazine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🔴
Tamsulosin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Thalidomide	🟢	🔴	🟢	🟢	🟢	🔴	🟢	🟢
Tranexamic acid	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Varenicline	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Zoledronic acid	🟢	🟢	🟢	🟢	🟢	🟢	🔴	🟢
Overactive Bladder Agents								
Darifenacin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Fesoterodine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Mirabegron	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Oxybutynin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Solifenacin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Tolterodine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Trospium	🟢	🟢	🟡	🟡	🟡	🟢	🟢	🟢
Oxytocics								
Ergometrine (Ergonovine)	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Mifepristone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Misoprostol	🟢	🔴	🟢	🟢	🟢	🟢	🟢	🟢
Oxytocin	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Parkinsonism Agents								
Apomorphine	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Benserazide	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Carbidopa	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Levodopa	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Pramipexole	🟢	🟢	🟢	🟢	🟡	🟢	🟢	🟢
Rasagiline	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Ropinirole	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Steroids								
Beclometasone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Betamethasone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Budesonide	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Clobetasol	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Dexamethasone	🟢	🔴	🟢	🟢	🟢	🟢	🟢	🟢
Fludrocortisone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Fluocinolone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Fluticasone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Hydrocortisone (oral)	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Hydrocortisone (topical)	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Megestrol acetate	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Methylprednisolone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Mometasone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Nandrolone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Oxandrolone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Prednisolone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Prednisone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Stanazolol	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Testosterone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢
Triamcinolone	🟢	🟢	🟢	🟢	🟢	🟢	🟢	🟢

Interactions with Entry & Integrase Inhibitors

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 1 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DTG	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
Anaesthetics & Muscle Relaxants					
Alcuronium	■	▲	▲	◆	◆
Bupivacaine	◆	■	■	◆	◆
Cisatracurium	◆	◆	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆
Ephedrine	■	◆	◆	◆	◆
Halothane	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆
Ketamine	◆	■	■	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆
Propofol	◆	◆	◆	◆	◆
Rocuronium	◆	◆	◆	◆	◆
Sevoflurane	◆	◆	◆	◆	◆
Sufentanil	◆	■	■	◆	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	◆	◆
Vecuronium	◆	◆	◆	◆	◆
Analgesics					
Alfentanil	◆	■	■	◆	◆
Aspirin	◆	◆	■	◆	◆
Buprenorphine	◆	◆	◆	◆	◆
Celecoxib	◆	◆	■	◆	◆
Codeine	◆	▲	▲	◆	◆
Dextropropoxyphene	◆	◆	◆	◆	◆
Diamorphine (diacetylmorphine)	◆	■	■	◆	◆
Diclofenac	◆	◆	■	◆	◆
Dihydrocodeine	◆	▲	▲	◆	◆
Fentanyl	◆	■	■	◆	◆
Hydrocodone	◆	■	■	◆	◆
Hydromorphone	◆	◆	◆	◆	◆
Ibuprofen	◆	◆	■	◆	◆
Mefenamic acid	◆	◆	■	◆	◆
Methadone	◆	◆	■	◆	◆
Morphine	◆	■	■	◆	◆
Naproxen	◆	◆	■	◆	◆
Nimesulide	◆	◆	■	◆	◆
Oxycodone	◆	■	■	◆	◆
Paracetamol (Acetaminophen)	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	▲	▲	◆	◆
Piroxicam	◆	■	■	◆	◆
Tramadol	◆	▲	▲	◆	◆
Anthelmintics					
Albendazole	◆	▲	▲	◆	◆
Diethylcarbamazine	◆	◆	◆	◆	◆
Ivermectin	◆	■	■	◆	◆
Levamisole (Ergamisol)	◆	◆	◆	◆	◆
Mebendazole	◆	■	■	◆	◆
Niclosamide	◆	◆	◆	◆	◆
Oxamniquine	◆	▲	▲	◆	◆
Praziquantel	◆	■	■	◆	◆
Pyrantel	◆	◆	◆	◆	◆
Suramin sodium	◆	◆	◆	◆	◆
Triclabendazole	◆	▲	▲	▲	◆
Antiarrhythmics					
Amiodarone	◆	◆	◆	◆	◆
Bepidil	◆	■	■	◆	◆
Disopyramide	■	■	■	◆	◆
Flecainide	◆	■	■	◆	◆
Lidocaine (Lignocaine)	◆	■	■	◆	◆
Mexiletine	◆	■	■	◆	◆
Propafenone	◆	■	■	◆	◆
Quinidine	◆	◆	◆	◆	◆
Antibacterials					
Amikacin	◆	▲	■	◆	◆
Amoxicillin	◆	◆	◆	◆	◆
Ampicillin	◆	▲	▲	◆	◆
Azithromycin	◆	◆	◆	◆	◆
Bedaquiline	◆	■	■	◆	◆
Capreomycin	▲	▲	◆	◆	◆
Cefalexin	◆	◆	▲	◆	◆
Cefazolin	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆
Chloramphenicol	◆	■	■	▲	◆
Ciprofloxacin	◆	◆	◆	▲	◆
Clarithromycin	◆	■	■	■	◆
Clavulanic acid	◆	◆	◆	◆	◆
Clindamycin	◆	■	■	◆	◆
Clofazimine	◆	◆	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆
Doxycycline	◆	◆	◆	◆	◆

For personal use only. Not for distribution. For personal use only. Not for distribution.

	DTG	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
Antibacterials (continued)					
Ertapenem	◆	◆	◆	◆	◆
Erythromycin	◆	■	■	■	◆
Ethambutol	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆
Flucloxacillin	◆	◆	▲	■	◆
Gentamicin	◆	■	◆	◆	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆
Kanamycin	◆	▲	■	◆	◆
Levofloxacin	◆	◆	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	▲	◆
Moxifloxacin	◆	◆	◆	◆	◆
Nitrofurantoin	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	◆	◆	◆
Para-aminosalicylic acid	◆	▲	▲	◆	◆
Penicillins	◆	◆	▲	◆	◆
Pyrazinamide	◆	◆	◆	◆	◆
Rifabutin	◆	■	■	■	◆
Rifampicin	■	◆	◆	◆	◆
Rifampentine	■	◆	◆	■	◆
Rifaximin	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆
Streptomycin	◆	▲	■	◆	◆
Sulfadiazine	◆	■	■	◆	◆
Telithromycin	◆	■	■	■	◆
Tetracyclines	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	◆	▲	▲	◆	◆
Vancomycin	◆	■	■	◆	◆
Anti-coagulant, Anti-platelet and Fibrinolytic					
Acenocoumarol	◆	■	■	◆	◆
Apixaban	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	■	■	◆	◆
Clopidogrel	◆	■	■	◆	◆
Dabigatran	◆	◆	◆	◆	◆
Dalteparin	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆
Edoxaban	◆	■	■	◆	◆
Eltrombopag	◆	◆	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆
Phenprocoumon	◆	■	■	◆	◆
Prasugrel	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	◆	◆	◆
Streptokinase	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	◆	◆
Warfarin	◆	■	■	◆	◆
Anticonvulsants					
Carbamazepine	■	◆	◆	■	■
Clonazepam	◆	■	■	◆	◆
Ethosuximide	◆	■	■	◆	◆
Gabapentin	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆	◆
Oxcarbazepine	◆	■	■	■	■
Phenobarbital (Phenobarbitone)	◆	◆	◆	■	■
Phenytoin	◆	◆	◆	■	■
Pregabalin	◆	◆	◆	◆	◆
Topiramate	◆	◆	■	◆	◆
Valproate (Divalproex)	◆	■	■	◆	◆
Vigabatrin	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆
Antidepressants					
Agomelatine	◆	◆	◆	◆	◆
Amitriptyline	◆	▲	▲	◆	◆
Bupropion	◆	▲	▲	◆	◆
Citalopram	◆	▲	▲	◆	◆
Clomipramine	◆	■	■	◆	◆
Desipramine	◆	▲	▲	◆	◆
Doxepin	◆	▲	▲	◆	◆
Duloxetine	◆	▲	▲	◆	◆
Escitalopram	◆	▲	▲	◆	◆
Fluoxetine	◆	▲	▲	◆	◆
Fluvoxamine	◆	▲	▲	◆	◆
Imipramine	◆	■	■	◆	◆
Lithium	◆	■	■	◆	◆
Maprotiline	◆	▲	▲	◆	◆
Mianserin	◆	▲	▲	◆	◆
Milnacipran	◆	■	■	◆	◆
Mirtazapine	◆	■	■	◆	◆
Nefazodone	◆	■	■	■	◆
Nortriptyline	◆	▲	▲	◆	◆
Paroxetine	◆	■	■	◆	◆
Phenelzine	◆	◆	◆	◆	◆
Reboxetine	◆	■	■	◆	◆
Sertraline	◆	■	■	◆	◆
Tranylcypromine	◆	■	■	◆	◆
Trazodone	◆	■	■	◆	◆
Trimipramine	◆	▲	▲	◆	◆
Venlafaxine	◆	▲	▲	▲	◆

Key to abbreviations

DTG	Dolutegravir (Tivicay®)
E/C/F/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
E/C/F/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
MVC	Maraviroc (Celsentri®, Selzentry®)
RAL	Raltegravir (Isentress®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required.
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly excludes liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry & Integrase Inhibitors

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 2 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DTG	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
Anti-diabetics					
Acarbose	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	◆
Exenatide	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	◆	◆
Glucalazide	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆
Nateglinide	◆	◆	◆	◆	◆
Pioglitazone	◆	◆	◆	◆	◆
Repaglinide	◆	◆	◆	◆	◆
Rosiglitazone	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆
Antifungals					
Amphotericin B	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆
Fluconazole	◆	◆	◆	◆	◆
Flucytosine	◆	◆	◆	◆	◆
Griseofulvin	◆	◆	◆	◆	◆
Itraconazole	◆	◆	◆	◆	◆
Ketoconazole	◆	◆	◆	◆	◆
Miconazole	◆	◆	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆
Posaconazole	◆	◆	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆
Voriconazole	◆	◆	◆	◆	◆
Antihistamines					
Astemizole	◆	◆	◆	◆	◆
Cetirizine	◆	◆	◆	◆	◆
Chlorphenamine	◆	◆	◆	◆	◆
Diphenhydramine	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	◆	◆
Levocetirizine	◆	◆	◆	◆	◆
Loratadine	◆	◆	◆	◆	◆
Promethazine	◆	◆	◆	◆	◆
Terfenadine	◆	◆	◆	◆	◆
Antimigraine Agents					
Almotriptan	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	◆	◆
Ergotamine	◆	◆	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆
Antiprotozoals					
Amodiaquine	◆	◆	◆	◆	◆
Artemisinin	◆	◆	◆	◆	◆
Atovaquone	◆	◆	◆	◆	◆
Benznidazole	◆	◆	◆	◆	◆
Chloroquine	◆	◆	◆	◆	◆
Diloxanide	◆	◆	◆	◆	◆
Eflornithine	◆	◆	◆	◆	◆
Halofantrine	◆	◆	◆	◆	◆
Lumefantrine	◆	◆	◆	◆	◆
Mefloquine	◆	◆	◆	◆	◆
Meglumine antimoniate	◆	◆	◆	◆	◆
Melarsoprol	◆	◆	◆	◆	◆
Miltefosine	◆	◆	◆	◆	◆
Nifurtimox	◆	◆	◆	◆	◆
Paromomycin	◆	◆	◆	◆	◆
Pentamidine	◆	◆	◆	◆	◆
Primaquine	◆	◆	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆	◆
Quinine	◆	◆	◆	◆	◆
Sodium stibogluconate	◆	◆	◆	◆	◆
Sulfadoxine	◆	◆	◆	◆	◆

For personal use only. Not for distribution.

	DTG	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
Antipsychotics/Neuroleptics					
Amisulpride	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	◆	◆	◆
Asenapine	◆	◆	◆	◆	◆
Chlorpromazine	◆	◆	◆	◆	◆
Clozapine	◆	◆	◆	◆	◆
Fluphenazine	◆	◆	◆	◆	◆
Haloperidol	◆	◆	◆	◆	◆
Iloperidone	◆	◆	◆	◆	◆
Levomopromazine	◆	◆	◆	◆	◆
Olanzapine	◆	◆	◆	◆	◆
Paliperidone	◆	◆	◆	◆	◆
Perazine	◆	◆	◆	◆	◆
Pericazone	◆	◆	◆	◆	◆
Perphenazine	◆	◆	◆	◆	◆
Pimozide	◆	◆	◆	◆	◆
Pipotiazine	◆	◆	◆	◆	◆
Quetiapine	◆	◆	◆	◆	◆
Risperidone	◆	◆	◆	◆	◆
Sulpiride	◆	◆	◆	◆	◆
Thioridazine	◆	◆	◆	◆	◆
Tiapride	◆	◆	◆	◆	◆
Ziprasidone	◆	◆	◆	◆	◆
Zotepine	◆	◆	◆	◆	◆
Zuclopenthixol	◆	◆	◆	◆	◆
Antivirals					
Aciclovir	◆	◆	◆	◆	◆
Adefovir	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆
Boceprevir	◆	◆	◆	◆	◆
Cidofovir	◆	◆	◆	◆	◆
Daclatasvir	◆	◆	◆	◆	◆
Elbasvir/Grazoprevir	◆	◆	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆
Famciclovir	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆
Ganciclovir	◆	◆	◆	◆	◆
Glecaprevir/Pibrentasvir	◆	◆	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	◆	◆	◆
Oseltamivir	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆
Simeprevir	◆	◆	◆	◆	◆
Sofosbuvir	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	◆	◆	◆
Telaprevir	◆	◆	◆	◆	◆
Telbivudine	◆	◆	◆	◆	◆
Valaciclovir	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆
Anxiolytics/Hypnotics/ Sedatives					
Alprazolam	◆	◆	◆	◆	◆
Bromazepam	◆	◆	◆	◆	◆
Buspirone	◆	◆	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	◆	◆
Clorazepate	◆	◆	◆	◆	◆
Diazepam	◆	◆	◆	◆	◆
Estazolam	◆	◆	◆	◆	◆
Flunitrazepam	◆	◆	◆	◆	◆
Flurazepam	◆	◆	◆	◆	◆
Hydroxyzine	◆	◆	◆	◆	◆
Lorazepam	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	◆	◆
Midazolam (parenteral)	◆	◆	◆	◆	◆
Oxazepam	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	◆	◆
Zaleplon	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	◆	◆
Zopiclone	◆	◆	◆	◆	◆
Beta Blockers					
Atenolol	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	◆
Carvedilol	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆
Timolol	◆	◆	◆	◆	◆

Key to abbreviations

DTG	Dolutegravir (Tivicay®)
E/C/F/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
E/C/F/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
MVC	Maraviroc (Celsentri®, Selzentry®)
RAL	Raltegravir (Isentress®)

Key to symbols

◆	These drugs should not be coadministered
◆	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
◆	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
◆	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly excludes liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry & Integrase Inhibitors

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 3 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DTG	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
Bronchodilators					
Acclidinium bromide	◆	◆	◆	◆	◆
Aminophylline	◆	◆	◆	◆	◆
Formoterol	◆	◆	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆
Montelukast	◆	▲	▲	◆	◆
Olodaterol	◆	▲	▲	◆	◆
Roflumilast	◆	▲	▲	◆	◆
Salbutamol	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	◆	◆
Theophylline	◆	◆	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	▲	▲	◆	◆
Vilanterol	◆	▲	▲	◆	◆
Calcium Channel Blockers					
Amlodipine	◆	■	■	◆	◆
Diltiazem	◆	■	■	◆	◆
Felodipine	◆	■	■	◆	◆
Nicardipine	◆	■	■	◆	◆
Nifedipine	◆	■	■	◆	◆
Nisoldipine	◆	■	■	◆	◆
Nitrendipine	◆	■	■	◆	◆
Verapamil	◆	■	■	◆	◆
Contraceptives/HRT					
Desogestrel (COC)	◆	▲	▲	◆	◆
Desogestrel (POP)	◆	▲	▲	◆	◆
Drospirenone (COC)	◆	▲	▲	◆	◆
Drospirenone (HRT)	◆	■	■	◆	◆
Dydrogesterone (HRT)	◆	■	■	◆	◆
Estradiol	◆	■	■	◆	◆
Ethinylestradiol	◆	■	■	◆	◆
Etonogestrel (implant)	◆	▲	▲	◆	◆
Etonogestrel (vaginal ring)	◆	■	■	◆	◆
Gestodene (COC)	◆	▲	▲	◆	◆
Levonorgestrel (COC)	◆	▲	▲	◆	◆
Levonorgestrel (emergency contraception)	◆	▲	▲	◆	◆
Levonorgestrel (HRT)	◆	■	■	◆	◆
Levonorgestrel (implant)	◆	▲	▲	◆	◆
Levonorgestrel (IUD)	◆	▲	▲	◆	◆
Levonorgestrel (POP)	◆	▲	▲	◆	◆
Medroxyprogesterone (depot injection)	◆	▲	▲	◆	◆
Medroxyprogesterone (oral)	◆	■	■	◆	◆
Norelgestromin (patch)	◆	▲	▲	◆	◆
Norethisterone [Norethindrone] (COC)	◆	▲	▲	◆	◆
Norethisterone [Norethindrone] (HRT)	◆	■	■	◆	◆
Norethisterone [Norethindrone] (IM depot)	◆	■	■	◆	◆
Norethisterone [Norethindrone] (POP)	◆	▲	▲	◆	◆
Norgestimate (COC)	◆	▲	▲	◆	◆
Norgestrel (COC)	◆	▲	▲	◆	◆
Norgestrel (HRT)	◆	■	■	◆	◆
Ulipristal	◆	▲	▲	◆	◆
Cytotoxics					
Anastrozole	◆	■	■	◆	◆
Asparaginase	◆	◆	◆	◆	◆
Bexarotene	◆	■	■	◆	◆
Bleomycin	◆	◆	◆	◆	◆
Bortezomib	◆	■	■	◆	◆
Capecitabine	◆	■	■	◆	◆
Carboplatin	◆	■	■	◆	◆
Chlorambucil	◆	■	■	◆	◆
Cisplatin	◆	■	■	◆	◆
Cyclophosphamide	◆	■	■	◆	◆
Cytarabine	◆	◆	◆	◆	◆
Dacarbazine	◆	■	■	◆	◆
Dactinomycin	◆	◆	◆	◆	◆
Dasatinib	◆	■	■	▲	◆
Daunorubicin	◆	■	■	◆	◆
Docetaxel	◆	■	■	◆	◆
Doxorubicin	◆	■	■	◆	◆
Droloxifene	◆	◆	◆	◆	◆
Epirubicin	◆	■	■	◆	◆
Erlotinib	◆	■	■	◆	◆
Estramustine	◆	◆	◆	◆	◆
Etoposide	◆	■	■	◆	◆
Everolimus	◆	◆	■	◆	◆
Exemestane	◆	◆	◆	◆	◆
Fludarabine	◆	◆	◆	◆	◆
Fluorouracil	◆	■	■	◆	◆
Formestane	◆	◆	◆	◆	◆
Gefitinib	◆	■	■	◆	◆
Gemcitabine	◆	■	■	◆	◆
Ifosfamide	◆	■	■	■	◆
Imatinib	◆	■	■	◆	◆
Irinotecan	◆	■	■	◆	◆
Lapatinib	◆	■	■	▲	◆
Letrozole	◆	■	■	◆	◆

Key to abbreviations

DTG	Dolutegravir (Tivicay®)
E/C/F/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
E/C/F/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
MVC	Maraviroc (Celsentri®, Selzentry®)
RAL	Raltegravir (Isentress®)

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

	DTG	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
Cytotoxics (continued)					
Mercaptopurine	◆	◆	▲	◆	◆
Mesna	◆	◆	◆	◆	◆
Methotrexate	◆	■	■	◆	◆
Mitoxantrone	◆	■	■	◆	◆
Nilotinib	◆	■	■	▲	◆
Oxaliplatin	■	◆	◆	▲	◆
Paclitaxel	◆	■	■	◆	■
Pazopanib	◆	■	■	▲	◆
Procarbazine	◆	◆	◆	◆	◆
Rituximab	◆	◆	◆	◆	◆
Sorafenib	◆	◆	◆	◆	◆
Sunitinib	◆	■	■	◆	◆
Tamoxifen	◆	■	■	■	◆
Temsirolimus	◆	■	■	▲	◆
Topotecan	◆	■	■	◆	◆
Toremifene	◆	■	■	◆	◆
Vinblastine	■	■	■	■	■
Vincristine	◆	■	■	◆	◆
Vorinostat	◆	◆	◆	◆	◆
Erectile Dysfunctional Agents					
Sildenafil (Erectile Dysfunction)	◆	■	■	◆	◆
Tadalafil (Erectile Dysfunction)	◆	■	■	◆	◆
Vardenafil	◆	■	■	◆	◆
Gastrointestinal Agents					
Alosetron	◆	◆	◆	◆	◆
Aluminium hydroxide	■	■	■	◆	■
Antacids	■	■	■	◆	■
Bisacodyl	◆	◆	◆	◆	◆
Cimetidine	◆	◆	◆	◆	◆
Cisapride	◆	●	●	◆	◆
Esomeprazole	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆
Loperamide	◆	■	■	◆	◆
Mesalazine	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆
Gastrointestinal Agents (anti-emetics)					
Aprepitant	◆	■	■	▲	◆
Dolasetron	◆	■	■	◆	◆
Domperidone	◆	●	●	◆	◆
Dronabinol	◆	▲	▲	◆	◆
Granisetron	◆	■	■	◆	◆
Metoclopramide	◆	◆	◆	◆	◆
Ondansetron	◆	▲	▲	◆	◆
Prochlorperazine	◆	▲	▲	◆	◆
Herbals/Supplements/Vitamins					
African potato	■	■	■	■	■
Aloe vera	◆	◆	◆	◆	◆
Ascorbic Acid (Vitamin C)	■	■	■	■	■
Cat's claw (Uncaria tomentosa)	■	■	■	■	■
Colecalciferol (vitamin D3)	■	■	■	◆	■
Cubeb pepper (Piper cubeba)	■	■	■	▲	◆
Cyanocobalamin	■	■	■	■	■
Echinacea	◆	◆	◆	▲	◆
Eucalyptus globulus	◆	◆	◆	◆	◆
Folic acid	◆	■	■	■	■
Garlic	■	■	■	■	■
Ginger (Zingiber officinale)	◆	◆	◆	▲	◆
Ginkgo biloba	▲	◆	◆	▲	◆
Goldenseal root (Hydrastis canadensis)	◆	◆	◆	◆	◆
Grapefruit juice	◆	◆	◆	▲	◆
Hops (Humulus lupulus)	◆	■	■	■	◆
Inula racemosa	◆	◆	◆	▲	◆
Iodine	■	■	■	◆	■
Iron supplements	■	■	■	■	■
Liquorice (Glycyrrhiza glabra)	▲	■	■	▲	▲
Malabar nut tree	◆	■	■	■	■
Menthol	◆	◆	◆	▲	◆
Milk thistle	◆	◆	◆	◆	◆
Nicotinamide	■	■	■	◆	■
Phytomenadione (vitamin K)	■	■	■	◆	■
Pyridoxine (vitamin B6)	◆	■	■	■	■
Quercetin	◆	■	■	■	◆
Retinol (vitamin A)	■	■	■	◆	■
Riboflavin (vitamin B2)	■	■	■	◆	■
Saw palmetto (Serenoa repens)	◆	◆	◆	◆	◆
Seville orange juice	◆	◆	◆	▲	◆
St John's Wort	●	●	●	●	■
Thiamine (vitamin B1)	■	■	■	◆	■
Turmeric (Curcuma longa)	◆	◆	◆	◆	◆
Valerian	◆	◆	◆	◆	◆
Vitamin E	■	■	■	◆	■

For personal use only. Not for distribution. For personal use only. Not for distribution.

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly excludes liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry & Integrase Inhibitors

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 4 of 4

Please note that if a drug is not listed it cannot automatically be assumed it is safe to coadminister.

	DTG	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
Hypertension / Heart Failure Agents					
Aliskiren	◆	◆	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆
Amiloride	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	+	+	◆	◆
Bosentan	◆	◆	◆	◆	◆
Candesartan	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆
Digoxin	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	◆	◆
Enalapril	◆	◆	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆
Hydralazine	◆	◆	◆	◆	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	◆	◆
Irbesartan	◆	◆	◆	◆	◆
Isosorbide dinitrate	◆	◆	◆	◆	◆
Ivabradine	◆	◆	◆	◆	◆
Labetalol	◆	◆	◆	◆	◆
Lacidipine	◆	◆	◆	◆	◆
Lercanidipine	◆	◆	◆	◆	◆
Lisinopril	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	◆	◆
Macitentan	◆	◆	◆	◆	◆
Methyldopa	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆
Olmесartan	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆
Prazosin	◆	◆	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆
Ranolazine	◆	◆	◆	◆	◆
Riociguat	◆	◆	◆	◆	◆
Sacubitril	◆	◆	◆	◆	◆
Selexipag	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	◆	◆
Sodium nitroprusside	◆	◆	◆	◆	◆
Spironolactone	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	◆	◆
Telmisartan	◆	◆	◆	◆	◆
Terazosin	◆	◆	◆	◆	◆
Torsemide	◆	◆	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆
Treprostinil	◆	◆	◆	◆	◆
Valsartan	◆	◆	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆
Illicit/Recreational					
Alcohol	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	◆	◆
Cannabis	◆	◆	◆	◆	◆
Cocaine	◆	◆	◆	◆	◆
Ecstasy (MDMA)	◆	◆	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	◆	◆
Heroin	◆	◆	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	◆	◆
Mephedrone	◆	◆	◆	◆	◆
Methamphetamine	◆	◆	◆	◆	◆
Phencyclidine (PCP)	◆	◆	◆	◆	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆
Immune Modulators					
Hydroxyurea (Hydroxycarbamide)	◆	◆	◆	◆	◆
Interferon alpha	◆	◆	◆	◆	◆
Interleukin 2 (Aldesleukin)	◆	◆	◆	◆	◆
Peginterferon alfa-2a	◆	◆	◆	◆	◆
Immunosuppressants					
Anti-thymocyte globulin	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆
Ciclosporin	◆	◆	◆	◆	◆
Mycophenolate	◆	◆	◆	◆	◆
Sirolimus	◆	◆	◆	◆	◆
Tacrolimus	◆	◆	◆	◆	◆
Lipid Lowering Agents					
Atorvastatin	◆	◆	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	◆	◆
Gemfibrozil	◆	◆	◆	◆	◆
Lovastatin	◆	◆	◆	◆	◆
Pitavastatin	◆	◆	◆	◆	◆
Pravastatin	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	◆	◆	◆
Simvastatin	◆	◆	◆	◆	◆

Key to abbreviations

DTG	Dolutegravir (Tivicay®)
E/C/F/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide (Genvoya®)
E/C/F/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate (Stribild®)
MVC	Maraviroc (Celsentri®, Selzentry®)
RAL	Raltegravir (Isentress®)

Key to symbols

◆	These drugs should not be coadministered
◆	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
◆	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required.
◆	No clinically significant interaction expected
+	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

	DTG	E/C/F/ TAF	E/C/F/ TDF	MVC	RAL
Other					
Acetazolamide	◆	◆	◆	◆	◆
Acitretin	◆	◆	◆	◆	◆
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆
Alendronic Acid	◆	◆	◆	◆	◆
Alfuzosin	◆	◆	◆	◆	◆
Allopurinol	◆	◆	◆	◆	◆
Atropine	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆
Biperiden	◆	◆	◆	◆	◆
Caffeine citrate	◆	◆	◆	◆	◆
Calcium	◆	◆	◆	◆	◆
Carbamazole	◆	◆	◆	◆	◆
Clomifene	◆	◆	◆	◆	◆
Colchicine	◆	◆	◆	◆	◆
Cyproterone acetate	◆	◆	◆	◆	◆
Denosumab	◆	◆	◆	◆	◆
Disulfiram	◆	◆	◆	◆	◆
Dutasteride	◆	◆	◆	◆	◆
Finasteride	◆	◆	◆	◆	◆
Flibanserin	◆	◆	◆	◆	◆
Goserelin	◆	◆	◆	◆	◆
Ibandronic acid	◆	◆	◆	◆	◆
Isotretinoin	◆	◆	◆	◆	◆
Leuprorelin	◆	◆	◆	◆	◆
Levothyroxine	◆	◆	◆	◆	◆
Magnesium	◆	◆	◆	◆	◆
Mannitol	◆	◆	◆	◆	◆
Methylphenidate	◆	◆	◆	◆	◆
Modafinil	◆	◆	◆	◆	◆
Naftidrofuryl	◆	◆	◆	◆	◆
Naltrexone	◆	◆	◆	◆	◆
Neostigmine	◆	◆	◆	◆	◆
Nicorandil	◆	◆	◆	◆	◆
Orlistat	◆	◆	◆	◆	◆
Penicillamine	◆	◆	◆	◆	◆
Pentoxifylline	◆	◆	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆
Potassium	◆	◆	◆	◆	◆
Probenecid	◆	◆	◆	◆	◆
Propylthiouracil	◆	◆	◆	◆	◆
Protamine sulphate	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	◆	◆	◆
Strontium ranelate	◆	◆	◆	◆	◆
Sulfasalazine	◆	◆	◆	◆	◆
Tamsulosin	◆	◆	◆	◆	◆
Thalidomide	◆	◆	◆	◆	◆
Tranexamic acid	◆	◆	◆	◆	◆
Varenicline	◆	◆	◆	◆	◆
Zoledronic acid	◆	◆	◆	◆	◆
Overactive Bladder Agents					
Darifenacin	◆	◆	◆	◆	◆
Fesoterodine	◆	◆	◆	◆	◆
Mirabegron	◆	◆	◆	◆	◆
Oxybutin	◆	◆	◆	◆	◆
Solifenacin	◆	◆	◆	◆	◆
Tolterodine	◆	◆	◆	◆	◆
Trospium	◆	◆	◆	◆	◆
Oxytocics					
Ergometrine (Ergonovine)	◆	◆	◆	◆	◆
Mifepristone	◆	◆	◆	◆	◆
Misoprostol	◆	◆	◆	◆	◆
Oxytocin	◆	◆	◆	◆	◆
Parkinsonism Agents					
Apomorphine	◆	◆	◆	◆	◆
Benserazide	◆	◆	◆	◆	◆
Carbidopa	◆	◆	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆
Rasagiline	◆	◆	◆	◆	◆
Ropinirole	◆	◆	◆	◆	◆
Steroids					
Beclometasone	◆	◆	◆	◆	◆
Betamethasone	◆	◆	◆	◆	◆
Budesonide	◆	◆	◆	◆	◆
Clobetasol	◆	◆	◆	◆	◆
Dexamethasone	◆	◆	◆	◆	◆
Fludrocortisone	◆	◆	◆	◆	◆
Fluocinolone	◆	◆	◆	◆	◆
Fluticasone	◆	◆	◆	◆	◆
Hydrocortisone (oral)	◆	◆	◆	◆	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆
Methylprednisolone	◆	◆	◆	◆	◆
Mometasone	◆	◆	◆	◆	◆
Nandrolone	◆	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	◆	◆
Prednisolone	◆	◆	◆	◆	◆
Prednisone	◆	◆	◆	◆	◆
Stanozolol	◆	◆	◆	◆	◆
Testosterone	◆	◆	◆	◆	◆
Triamcinolone	◆	◆	◆	◆	◆

For personal use only. Not for distribution. For personal use only. Not for distribution.

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool Drug Interactions Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly excludes liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Antiretroviral Drugs

Charts revised December 2017. Full information available at www.hiv-druginteractions.org

Page 1 of 1

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

		PROTEASE INHIBITORS									NNRTIs					NRTIs							OTHER						
		ATV	Cobi	DRV	FPV	IDV	LPV	RTV	SQV	TPV	EFV	ETV	NVP	RPV	RPV + FTC/TAF	ABC	ddl	FTC	FTC+TAF	3TC	d4T	TDF	ZDV	DTG	E/C/F/TAF	E/C/F/TDF	MVC	RAL	
PIs	Atazanavir		◆	◆	■	●	■	■	●	●	■	●	●	▲	●	◆	■	◆	■	◆	◆	■	◆	◆	◆	■	■	■	▲
	Cobicistat	◆	F	◆	●	●	●	●	●	●	●	●	◆	●	●	◆	◆	◆	■	◆	◆	■	◆	◆	◆	■	■	■	◆
	Darunavir	◆	◆	O	■	■	■	■	●	■	■	◆	◆	●	●	◆	■	◆	■	◆	◆	■	◆	◆	◆	■	■	■	◆
	Fosamprenavir	■	●	■	R	◆	■	■	■	●	■	●	◆	●	●	◆	◆	◆	■	◆	◆	■	◆	◆	■	■	■	■	◆
	Indinavir	●	●	■	◆		■	■	■	●	■	●	■	●	●	◆	■	◆	■	◆	◆	■	◆	◆	■	■	■	■	◆
	Lopinavir	■	●	●	■	■	P	■	■	●	■	◆	■	◆	●	▲	■	◆	■	◆	◆	■	◆	◆	■	■	■	■	◆
	Ritonavir	■	●	■	■	■		■	E	■	■	■	◆	◆	●	◆	■	◆	■	◆	◆	■	◆	◆	■	■	■	■	◆
	Saquinavir	●	●	●	■	■	●	■	R	■	■	◆	■	◆	●	◆	■	◆	■	◆	◆	■	◆	◆	■	■	■	■	◆
	Tipranavir	●	●	●	●	●	●	■	■	S	◆	●	■	●	●	●	■	◆	●	◆	◆	■	●	■	●	●	■	■	■
NNRTIs	Efavirenz	■	●	■	■	■	■	■	■	◆	O	■	●	●	●	◆	◆	◆	◆	◆	◆	◆	◆	■	●	●	■	◆	
	Etravirine	●	●	◆	●	●	◆	■	◆	●	■	N	■	●	●	◆	◆	◆	◆	◆	◆	◆	◆	■	●	●	■	◆	
	Nevirapine	●	●	◆	◆	■	■	◆	■	◆	●	■	A	●	●	◆	◆	◆	◆	◆	◆	◆	◆	■	●	●	◆	◆	
	Rilpivirine	▲	◆	◆	◆	◆	◆	◆	◆	●	●	■	■	L	■	◆	■	◆	◆	◆	◆	◆	◆	◆	■	■	◆	◆	
	Rilpivirine + FTC/TAF	●	●	●	●	●	●	●	●	●	●	●	■	■	■	●	●	●	●	●	●	●	●	■	●	●	■	■	
NRTIs	Abacavir (ABC)	◆	◆	◆	◆	◆	▲	◆	◆	●	◆	◆	◆	●	●	U	◆	◆	◆	◆	◆	◆	◆	◆	◆	●	◆	◆	◆
	Didanosine (ddl)	■	◆	■	◆	■	■	■	■	■	◆	◆	◆	■	●	■	S	◆	■	■	●	■	◆	◆	◆	●	◆	◆	◆
	Emtricitabine (FTC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆		E	●	●	◆	◆	◆	◆	◆	●	◆	◆	◆
	Emtricitabine + TAF	■	■	■	■	■	■	■	■	●	◆	◆	◆	◆	●	◆	■		■	●	●	◆	◆	◆	◆	●	◆	◆	◆
	Lamivudine (3TC)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆	■	●	●	O	◆	◆	◆	◆	◆	●	◆	◆	◆
	Stavudine (d4T)	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	●	◆	●	◆			N	◆	●	◆	◆	●	◆	◆	◆
	Tenofovir-DF (TDF)	■	■	■	■	■	■	■	■	■	◆	◆	◆	◆	●	◆	■	●	◆			L	◆	◆	●	◆	◆	◆	◆
	Zidovudine (AZT/ZDV)	◆	◆	◆	◆	◆	◆	◆	◆	●	◆	◆	◆	◆	●	◆	◆	◆	◆	●	◆		Y	◆	◆	●	◆	◆	◆
Other	Dolutegravir	◆	◆	◆	■	◆	◆	◆	◆	■	■	■	◆	■	■	◆	◆	◆	◆	◆	◆	◆	◆	■	●	●	◆	◆	
	Elvitegravir/Cobi/F/TAF	■	●	■	●	●	●	●	●	●	●	●	●	■	●	●	●	●	●	●	●	●	●	■	■	■	■	●	●
	Elvitegravir/Cobi/F/TDF	■	●	■	●	●	●	●	●	●	●	●	●	■	●	●	●	●	●	●	●	●	●	●	●	■	■	■	●
	Enfuvirtide (T20)	◆	◆	◆	◆	◆	◆	◆	◆	■	◆	◆	◆	◆	●	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	●	◆	◆	◆
	Maraviroc	■	■	■	■	■	■	■	■	◆	■	■	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	■	■	■	◆
	Raltegravir	▲	◆	◆	■	◆	◆	◆	◆	■	◆	◆	◆	◆	■	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	●	●	◆	◆

For personal use only. Not for distribution. For personal use only. Not for distribution. For personal use only. Not for distribution.

Key to symbols

◆	These drugs should not be coadministered
◆	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
◆	Potential interaction likely to be of weak intensity - additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

Key to abbreviations

ATV	Atazanavir (Reyataz®)
Cobi	Cobicistat (Tybost®)
DRV	Darunavir (Prezista®)
FPV	Fosamprenavir (Telzir®, Lexiva®)
IDV	Indinavir (Crixivan®)
LPV	Lopinavir (Kaletra®)
RTV	Ritonavir (Norvir®)
SQV	Saquinavir (Invirase®)
TPV	Tipranavir (Aplivis®)

EFV	Efavirenz (Sustiva® Stocrin®)
ETV	Etravirine (Intence®)
NVP	Nevirapine (Viramune®)
RPV	Rilpivirine (Edurant®)

ABC	Abacavir (Ziagen®)
ddl	Didanosine (Videx®, Videx-EC®)
FTC	Emtricitabine (Emtriva®)
3TC	Lamivudine (Epivir®)
d4T	Stavudine (Zerit®)
TAF	Tenofovir alafenamide
TDF	Tenofovir disoproxil fumarate (Viread®)
ZDV	Zidovudine (Retrovir®)

DTG	Dolutegravir (Tivicay®)
E/C/F/TAF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide
E/C/F/TDF	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir disoproxil fumarate
MVC	Maraviroc (Celsentri®, Selzentry®)
RAL	Raltegravir (Isentress®)

Co-formulations

Atripla®	Efavirenz + Emtricitabine + Tenofovir-DF
Combivir®	Lamivudine + Zidovudine
Complera®	Emtricitabine + Rilpivirine + Tenofovir-DF
Descovy®	Emtricitabine + Tenofovir alafenamide
Eviplera®	Emtricitabine + Rilpivirine + Tenofovir-DF
Evotaz®	Atazanavir + Cobicistat
Genvoya®	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir alafenamide
Juluca®	Dolutegravir + Rilpivirine
Kivexa®	Abacavir + Lamivudine
Odefsey®	Emtricitabine + Rilpivirine + Tenofovir alafenamide
Prezcobix®	Darunavir + Cobicistat
Rezolsta®	Darunavir + Cobicistat
Symtuza®	Darunavir + Cobicistat + Emtricitabine + Tenofovir alafenamide
Stribild®	Elvitegravir + Cobicistat + Emtricitabine + Tenofovir-DF
Triumeq®	Abacavir + Lamivudine + Dolutegravir
Trizivir®	Abacavir + Lamivudine + Zidovudine
Truvada®	Emtricitabine + Tenofovir-DF

© Liverpool Drug Interactions Group, University of Liverpool, Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF.

We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.